

Hunter®

INTERNATIONAL SUGGESTED LIST PRICES 2016

RESIDENTIAL, COMMERCIAL & GOLF IRRIGATION
Built on Innovation®



EFFECTIVE JANUARY 1, 2016

Supersedes all previous price lists. Price and specifications are subject to change without notice.

hunterindustries.com

TABLE OF CONTENTS

ROTORS	1	CONTROLLERS	26
PGJ: Gear-Driven Rotors	1	Eco-Logic: Residential Controllers - Indoor Mount	26
SRM: Gear-Driven Rotors	1	X-Core®: Residential Controllers - Indoor Mount	26
PGP® Ultra: Gear-Driven Rotors	2	X-Core: Residential Controllers - Outdoor Mount	27
MPR Nozzles	2	XC Hybrid: Residential/Light Commercial Controllers (Battery-Powered)	27
PGP Ultra Accessories	2	Pro-C® (Conventional): Residential/Light Commercial Controllers - Indoor Mount	27
PGP: Gear-Driven Rotors	3	Pro-C (Conventional): Residential/Light Commercial Con- trollers - Outdoor Mount	28
PGP Accessories	3	Pro-C: Residential/Light Commercial Controllers	28
I-20: Gear-Driven Rotors	4	Pro-C Quick Reference Chart	29
MPR Nozzles	5	I-Core®: Commercial Controllers	29
I-20 Accessories	5	DUAL®: Decoder System for I-Core Controllers	29
I-25: Gear-Driven Rotors	6	ACC: Advanced Commercial Controller with Real Time Flow Sensing Capability	30
I-40: Gear-Driven Rotors	7	ACC: Communications Components & Accessories	30
I-90: Gear-Driven Rotors	8	ACC Decoder: Advanced Commercial Controller 2-Wire Decoder Version	31
Rotor Accessories	8	ICD-HP: Handheld Decoder Programmer for ICD Decoders	31
ST System: Synthetic Turf Rotors and Component Accessories	9	Decoder Cables	32
MP ROTATOR®	11	NODE: Battery Operated Controller	32
MP Rotator	11	Wireless Valve System: Multi-Station Battery Operated Controller and Programmer	33
Eco-Rotator: Rotary Sprinkler Combination	13	ROAM XL: Remote Control System	34
SPRAYS AND NOZZLES	14	ROAM: Residential Remote Control System	34
PS Ultra: Sprays with Pre-Installed Nozzle	14	PSR: Pump Start Relay	34
Pro-Spray®: Residential/Commercial Sprays	15	CENTRAL CONTROL	35
Pro-Spray PRS30: 2.1 bar (210 kPa) Pressure Regulated Commercial Sprays	16	Irrigation Management and Monitoring System®: Central Control	35
Pro-Spray PRS40: 2.8 bar (280 kPa) Pressure Regulated Commercial Sprays	17	SENSORS	36
Spray Nozzles	17	Mini-Clik®: Rain Sensors	36
Filter Screens	18	Rain-Clik®: Rain Sensors	36
Bubblers and Bubbler Nozzles	18	Wireless Rain-Clik: Rain Sensors	36
VALVES	20	Freeze-Clik®: Freeze Sensors	36
1" PGV: Professional Grade Valves	20	Soil-Clik™	37
1" PGV Jar-Top: Professional Grade Valves with Jar-Top Bonnet	20	Wind-Clik®	37
PGV 1½" & 2" Valves	20	Mini-Weather Station	37
ICV: Institutional Commercial Valves	21	Flow Sensors	37
IBV: Hunter Brass Valves	21	BSP/Slip Adapters for Flow Sensors	37
Accu-Sync®	22	Solar Sync®	38
Drip Control Zone Kit	22	Sensor Accessories	38
HCV: Hunter Check Valves	23		
Valve Accessories	23		
Waterproof Connections	23		
HQ: Quick Coupling Valves	24		
HK: Quick Coupling Keys	25		
HS: Quick Coupling Swivels	25		


MICRO IRRIGATION	39	Catalogs and Price Lists	67
Eco-Mat®	39	Technical Information	67
Eco-Wrap (Enhanced Subsurface Dripline) Tubing	39	Hunter Contractor Tools	69
PLD: 16 mm Professional Landscape Dripline	39	Point-of-Purchase Materials and Promotional Tools	70
PLD: 16 mm Insert Barb Fittings	39	Counter Mats	71
PLD: 17 mm Professional Landscape Dripline	40	Posters	71
PLD: 17 mm Insert Fittings	41	Valve Cutaways	71
Point Source Drip Emitters	42	LITERATURE & DEMONSTRATION PRODUCTS ...	72
Micro-Sprays & Stream Drippers	43	Golf Literature and Sales Support	72
Drip Control Zone Kit	43	Golf Demonstration Products and Literature	72
Waterproof Connections	43	APPROXIMATE FREIGHT WEIGHTS	
Root Zone Watering System	44	AND VOLUMES	73
RZWS Accessories	44	WARRANTY	75
ACCESSORIES	45		
SJ: Threaded Swing Joint	45		
Hunter Flexible Tubing – Swing Pipe	45		
Hunter Spiral Barb Elbows	45		
Tools	45		
GOLF PRODUCTS	46		
B Series: Gear Driven Rotors	47		
TTS 800 Series: Total-Top-Service Gear Driven Rotors	48	Ordering Information	
TTS 900 Series: Total-Top-Service Gear Driven Rotors	50	The following general conditions apply to authorized Hunter distributors:	
DIH 800 Series: Decoder-In-Head Total-Top-Service Gear Driven Rotors	51		
DIH 900 Series: Decoder-In-Head Total-Top-Service Gear Driven Rotors	53	Pricing	
HSJ Swing Joints	54	All prices are in effect as of the published date noted on the cover, but are subject to change without notice. Hunter will provide advance notice of price changes whenever possible, otherwise accepted orders will be invoiced at prices in effect on the date of receipt of the order.	
Retro Riser Kits	55		
Rotor Accessories	56		
Golf Rotor Tools	56		
Pilot™ Golf Central Control Systems	57	Carton Quantity Orders	
AGC Decoders and Accessories	66	Orders must be placed in multiples of the carton quantities listed in this price list, except where noted. Orders received that are not in multiples of carton quantity will be rounded up to the nearest carton quantity multiple.	
Decoder Cables	66		
Demonstration Gear-Driven Rotors	66		

PGJ: Gear-Driven Rotors




PGJ, Shrub Rotor with 8 standard blue nozzles, 1/2" inlet

Model	List Price \$	Description	Carton Qty.
PGJ-00	13.00	Shrub body adjustable arc, no check valve	25
PGJ-00-R	21.00	Shrub body, adjustable arc, with reclaimed water ID logo cap	25




PGJ, 10 cm Pop-up Rotor with 8 standard nozzles and 1/2" inlet

Model	List Price \$	Description	Carton Qty.
PGJ-04	13.00	10 cm adjustable arc, no check valve	25
PGJ-04-V	21.00	10 cm adjustable arc, with check valve	25
PGJ-04-R	22.00	10 cm adjustable arc, with check valve and reclaimed water ID logo cap	25



PGJ, 15 cm Pop-up Rotor with 8 standard nozzles and 1/2" inlet


Model	List Price \$	Description	Carton Qty.
PGJ-06	27.00	15 cm adjustable arc, no check valve	25
PGJ-06-V	29.00	15 cm adjustable arc, with check valve	25
PGJ-06-R	31.00	15 cm adjustable arc, with check valve and reclaimed water ID logo cap	25



PGJ, 30 cm Pop-up Rotor with 8 standard nozzles and 1/2" inlet

Model	List Price \$	Description	Carton Qty.
PGJ-12	38.00	30 cm adjustable arc, no check valve	12
PGJ-12-V	40.00	30 cm adjustable arc, with check valve	12
PGJ-12-R	42.00	30 cm adjustable arc, with check valve and reclaimed water ID logo cap	12

SRM: Gear-Driven Rotors



SRM, 10 cm Pop-up Rotor with 6 standard blue nozzles, 1/2" inlet

Model	List Price \$	Description	Carton Qty.
SRM-04	12.50	10 cm adjustable arc, no check valve	25


Notes: PGJ and SRM sprinklers are sold in carton quantities only. Sprinklers are packed with racks of nozzles.

PGP® Ultra: Gear-Driven Rotors



PGP Ultra, Shrub Rotor with 8 standard blue and 4 low angle grey nozzles, 3/4" inlet

Model	List Price \$	Description	Carton Qty.
PGP-00	16.00	Adjustable arc 50°-360°, no check valve	20
PGP-00-CV	21.00	Adjustable arc 50°-360°, with check valve	20
PGP-00-CV-R	23.00	Adjustable arc 50°-360°, with check valve and reclaimed water ID logo cap	20



PGP Ultra, 10 cm Pop-up Rotor with 8 standard blue and 4 low angle grey nozzles, 3/4" inlet

Model	List Price \$	Description	Carton Qty.
PGP-04	16.00	Adjustable arc 50°-360°, no check valve	20
PGP-04-CV	23.00	Adjustable arc 50°-360°, with check valve	20
PGP-04-CV-R	24.00	Adjustable arc 50°-360°, with check valve and reclaimed water ID logo cap	20



PGP Ultra, 30 cm Pop-up Rotor with 8 standard blue and 4 low angle grey nozzles, 3/4" inlet

Model	List Price \$	Description	Carton Qty.
PGP-12-CV	43.00	Adjustable arc 50-360°, with check valve	12
PGP-12-CV-R	45.00	Adjustable arc 50-360°, with check valve and reclaimed water ID logo cap	12

Notes: Nozzle Information—All PGP Ultra model sprinklers include a complete set of nozzles.

All PGP Ultra sprinklers can be ordered with specific factory-installed nozzles #1.5-4.0 at no charge. Add the appropriate nozzle number to the end of the model number. For example, PGP-04-3.0 indicates that a 3.0 nozzle is factory-installed.

PGP Ultra sprinklers are sold in carton quantities only.


PGP Ultra: Pressure Regulated Body



PGP Ultra, 10 cm Pop-up Rotor with PRB Body

Model	List Price \$	Description	Carton Qty
PGP-04-PRB	25.00	Adjustable arc 50-360, no check valve	20
PGP-04-CV-PRB	27.00	PRB Body, Adjustable arc 50-360, with check valve	20
PGP-04-CV-R-PRB	28.00	PRB Body, Adjustable arc 50-360, with check valve and reclaimed water ID logo cap	20


PGP Ultra Accessories



444800

Model	List Price \$	Description	Carton Qty.
782900BOX	0.50	Blue nozzle rack (Nozzles 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 and 2.0 LA, 2.5 LA, 3.5 LA, 4.5 LA)	200
356605	0.50	Dark Blue nozzle rack (Nozzles 1.0, 1.5, 2.0, 3.0, 3.5, 4.0, 6.0, 8.0 and 2.0 LA, 2.5 LA, 3.5 LA, 4.5 LA)	1
466100	0.50	Black nozzle rack (Nozzles 5.5 m - .50, 1.0, 2.0 and 7.6 m - .75, 1.5, 3.0)	1


PGP Ultra MPR Nozzles



NEW

Model	List Price \$	Description	Bag / Carton Qty
MPR-25	0.25	Matched Precipitation Nozzle Rack with all 7.6 m radius nozzles. Includes a Quarter, Third, Half and Full Circle nozzle.	25/250
MPR-30	0.25	Matched Precipitation Nozzle Rack with all 9.1 m radius nozzles. Includes a Quarter, Third, Half and Full Circle nozzle.	25/250
MPR-35	0.25	Matched Precipitation Nozzle Rack with all 10.6 m radius nozzles. Includes a Quarter, Third, Half and Full Circle nozzle.	25/250


PGP®: Gear-Driven Rotors



PGP, 10 cm Pop-up Rotor with 8 standard blue nozzles, 3/4" inlet

Model	List Price \$	Description	Carton Qty.
PGP-ADJ-B	15.00	Adjustable arc 40°-360°, no check valve	20

Notes: Nozzle Information—All PGP model sprinklers include a complete set of standard BLUE nozzles.
 All PGP-ADJ-B sprinklers can be ordered with nozzles #1.5-4.0 factory-installed at no additional charge. Add the appropriate nozzle number to the end of the model number. For example, PGP-ADJ-B3.0 indicates that a #3.0 nozzle is factory-installed.
 PGP-ADJ-B sprinklers are sold in carton quantities only.




PGP, 10 cm Pop-up Rotor with 12 standard red nozzles, 3/4" inlet

Model	List Price \$	Description	Carton Qty.
PGP-ADJ	15.00	Adjustable arc 40°-360°, no check valve	20

Notes: Nozzle Information—All PGP model sprinklers include a complete set of standard RED nozzles.
 All PGP-ADJ sprinklers can be ordered with nozzles #5, 6, 7 and 8 factory-installed at no additional charge. Add the appropriate nozzle number to the end of the model number. For example, PGP-ADJ-07 indicates that a #7 nozzle is factory-installed.
 PGP-ADJ sprinklers are sold in carton quantities only.

PGP Accessories




Model	List Price \$	Description	Carton Qty.
665300BOX	0.50	Blue nozzle rack (Nozzles 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0)	300
130900	0.50	Red nozzle rack (Nozzles #1-12)	1
233200	0.50	Grey low angle nozzle rack (Nozzles #4, 5, 6, 7, 8, 9, 10, Plug)	1
120300	0.50	Nozzle Retainer Screw for PGP-ADJ Group	1
253400	1.00	Seal replacement kit (includes riser seal only)	10
181500	0.25	PGP Replacement Riser Seal	1
102600	0.50	Standard black filter screen	1
142300	1.00	Standard black filter screen with check valve	1

I-20: Gear-Driven Rotors




I-20, Shrub Rotor with 8 standard blue and 4 low angle grey nozzles, 3/4" inlet

Model	List Price \$	Description	Carton Qty.
I-20-00	22.00	Adjustable arc 50°-360°, no check valve	20
I-20-00-R	26.00	Adjustable arc 50°-360°, with check valve and reclaimed water ID logo cap	20



I-20, 10 cm Pop-up Rotor with 8 standard blue and 4 low angle grey nozzles, 3/4" inlet

Model	List Price \$	Description	Carton Qty.
I-20-04-NCV	25.00	Adjustable arc 50°-360°, with plastic riser, no check valve	20
I-20-04	23.00	Adjustable arc 50°-360°, with plastic riser, with check valve	20
I-20-04-R	29.00	Adjustable arc 50°-360°, with plastic riser, with check valve and reclaimed water ID logo cap	20
I-20-04-SS-NCV	34.00	Adjustable arc 50°-360°, with stainless steel, no check valve	20
I-20-04-SS	34.00	Adjustable arc 50°-360°, with stainless steel riser, with check valve	20
I-20-04-SS-R	38.00	Adjustable arc 50°-360°, with stainless steel riser and check valve and reclaimed water ID logo cap	20



I-20, 15 cm Pop-up Rotor with 8 standard blue and 4 low angle grey nozzles, 3/4" inlet

Model	List Price \$	Description	Carton Qty.
I-20-06	35.00	Adjustable arc 50°-360°, with plastic riser, with check valve	20
I-20-06-R	39.00	Adjustable arc 50°-360°, with plastic riser, with check valve and reclaimed water ID logo cap	20
I-20-06-SS	47.00	Adjustable arc 50°-360°, with stainless steel riser, with check valve	20
I-20-06-SS-R	51.00	Adjustable arc 50°-360°, with stainless steel riser, with check valve and reclaimed water ID logo cap	20



I-20, 30 cm Pop-up Rotor with 8 standard blue and 4 low angle grey nozzles, 3/4" inlet


Model	List Price \$	Description	Carton Qty.
I-20-12	50.00	Adjustable arc 50°-360°, with check valve	12
I-20-12-R	55.00	Adjustable arc 50°-360°, with check valve and reclaimed water ID logo cap	12

Notes: Nozzle Information—All I-20 model sprinklers include a complete set of nozzles.

All I-20 sprinklers can be ordered with specific factory-installed nozzles #1.5-4.0 at no charge. Add the appropriate nozzle number to the end of the model number. For example, I20-04-3.0 indicates that a 3.0 nozzle is factory-installed.


I-20 sprinklers are sold in carton quantities only.

I-20: Pressure Regulated Body



I-20, 10 cm Pop-up Rotor with PRB Body

Model	List Price \$	Description	Carton Qty.
I20-04-PRB	29.00	PRB Body, Adjustable arc 50-360, with plastic riser, with check valve	20
I20-04-R-PRB	33.00	PRB Body, Adjustable arc 50-360, with plastic riser, with check valve and reclaimed water ID logo cap	20
4I20-04-SS-PRB	38.00	PRB Body, Adjustable arc 50-360, with stainless steel, with check valve	20
I20-04-SS-R-PRB	42.00	PRB Body, Adjustable arc 50-360, with stainless steel, with check valve and reclaimed water ID logo cap	20




I-20, 15 cm Pop-up Rotor with PRB Body

Model	List Price \$	Description	Carton Qty.
I20-06-PRB	39.00	PRB Body, Adjustable arc 50-360, with plastic riser, with check valve	20
I20-06-R-PRB	43.00	PRB Body, Adjustable arc 50-360, with plastic riser, with check valve and reclaimed water ID logo cap	20
I20-06-SS-PRB	51.00	PRB Body, Adjustable arc 50-360, with stainless steel, with check valve	20
I20-06-SS-R-PRB	55.00	PRB Body, Adjustable arc 50-360, with stainless steel, with check valve and reclaimed water ID logo cap	20

Notes: Nozzle Information—All I-20 model sprinklers include a complete set of nozzles. I-20 sprinklers are sold in carton quantities only.

I-20 MPR Nozzles



NEW

Model	List Price \$	Description	Bag/Carton Qty.
MPR-25	0.25	Matched Precipitation Nozzle Rack with all 7.6 m radius nozzles. Includes a Quarter, Third, Half and Full Circle nozzle.	25/250
MPR-30	0.25	Matched Precipitation Nozzle Rack with all 9.1 m radius nozzles. Includes a Quarter, Third, Half and Full Circle nozzle.	25/250
MPR	0.25	Matched Precipitation Nozzle Rack with all 10.6 m radius nozzles. Includes a Quarter, Third, Half and Full Circle nozzle.	25/250

I-20 Accessories

Model	List Price \$	Description	Carton Qty.
782900BOX	0.50	Blue nozzle rack (Nozzles 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 and 2.0 LA, 2.5 LA, 3.5 LA, 4.5 LA)	200
356605	0.50	Dark Blue nozzle rack (Nozzles 1.0, 1.5, 2.0, 3.0, 3.5, 4.0, 6.0, 8.0 and 2.0 LA, 2.5 LA, 3.5 LA, 4.5 LA)	1
466100	0.50	Black short radius nozzle rack (Nozzles 5.5 m - .50, 1.0, 2.0 and 7.6 m - .75, 1.5, 3.0)	1
444800	2.00	Green nozzle rack (Nozzles 10, 13 and 6.0, 8.0 LA)	1
102600	0.50	Standard black filter screen	1
142300	1.00	Standard black filter screen with check valve	1
463551	4.00	Rotor staking kit (for models PGP-00 and I20-00)	1

I-25: Gear-Driven Rotors



I-25, 10 cm Pop-up Rotor with 1" BSP inlet

Model	List Price \$	Description	Carton Qty.
I25-04-B	55.00	Adjustable arc, 50-360°, plastic riser, with check valve	12
I25-04-R-B	63.00	Adjustable arc, 50-360°, plastic riser, with check valve and reclaimed water ID logo cap	12
I25-04-SS-B	70.00	Adjustable arc, 50-360°, stainless riser, with check valve	12
I25-04-SS-R-B	78.00	Adjustable arc, 50-360°, stainless riser, with check valve and reclaimed water ID logo cap	12

Special Purpose I-25, 10 cm Pop-up Rotor with 1" BSP inlet

Model	List Price \$	Description	Carton Qty.
I25-04-SS-HS-B	165.00	High speed, adjustable arc, 50-360°, stainless riser, with check valve	12*
I25-04-SS-HS-R-B	175.00	High speed, adjustable arc, 50-360°, stainless riser, with check valve and reclaimed water ID logo cap	12*

I-25, 15 cm Pop-up Rotor with 1" BSP inlet

Model	List Price \$	Description	Carton Qty.
I25-06-B	70.00	Adjustable arc, 50-360°, plastic riser, with check valve	12
I25-06-R-B	78.00	Adjustable arc, 50-360°, plastic riser, with check valve and reclaimed water ID logo cap	12
I25-06-SS-B	85.00	Adjustable arc, 50-360°, stainless riser, with check valve	12
I25-06-SS-R-B	93.00	Adjustable arc, 50-360°, stainless riser, with check valve and reclaimed water ID logo cap	12

Special Purpose I-25, 15 cm Pop-up Rotor with 1" BSP inlet

Model	List Price \$	Description	Carton Qty.
I25-06-SS-HS-B	175.00	High speed, adjustable arc, 50-360°, stainless riser, with check valve	12*
I25-06-SS-HS-R-B	185.00	High speed, adjustable arc, 50-360°, stainless riser, with check valve and reclaimed water ID logo cap	12*

Notes: Nozzle Information—All I-25 model sprinklers are packaged with nozzles #7, 10, 15, 20 and 25.

All I-25 sprinklers can be ordered with a specific factory-installed nozzle at no charge. Add the appropriate nozzle number to the end of the model number. For example, I25-04-15 or I25-06-SS-R-15 indicates that a 15 nozzle is factory-installed. I-25 sprinklers are sold in carton quantities only.

*Special Purpose sprinklers can be ordered in less than carton quantity.

I-40: Gear-Driven Rotors



I-40, 10 cm Pop-up Rotor with 1" BSP inlet

Model	List Price \$	Description	Carton Qty.
I40-04-SS-B	105.00	Adjustable arc, 50°-360°, stainless riser, with check valve	12
I40-04-SS-R-B	113.00	Adjustable arc, 50°-360°, stainless riser, with check valve and reclaimed water ID logo cap	12
I40-04-SS-ON-B	120.00	Full-circle, with opposing nozzles, with stainless steel riser and check valve	12
I40-04-SS-ON-R-B	128.00	Full-circle, with opposing nozzles, with stainless riser and check valve and reclaimed water ID logo cap	12

Special Purpose I-40, 10 cm Pop-up Rotor with 1" BSP inlet

Model	List Price \$	Description	Carton Qty.
I40-04-SS-HS-B	165.00	High speed, adjustable arc, 50°-360°, stainless riser, with check valve	12*
I40-04-SS-HS-R-B	175.00	High speed, adjustable arc, 50°-360°, stainless riser, with check valve and reclaimed water ID logo cap	12*

I-40, 15 cm Pop-up Rotor with 1" BSP inlet

Model	List Price \$	Description	Carton Qty.
I40-06-SS-B	120.00	Adjustable arc, 50°-360°, stainless riser, with check valve	12
I40-06-SS-R-B	128.00	Adjustable arc, 50°-360°, stainless riser, with check valve and reclaimed water ID logo cap	12
I40-06-SS-ON-B	130.00	Full-circle, with opposing nozzles, with stainless steel riser and check valve	12
I40-06-SS-ON-R-B	138.00	Full-circle, with opposing nozzles, with stainless riser, with check valve and reclaimed water ID logo cap	12

Special Purpose I-40, 15 cm Pop-up Rotor with 1" BSP inlet

Model	List Price \$	Description	Carton Qty.
I40-06-SS-HS-B	175.00	High speed, adjustable arc, 50°-360°, stainless riser, with check valve	12*
I40-06-SS-HS-R-B	185.00	High speed, adjustable arc, 50°-360°, stainless riser, with check valve and reclaimed water ID logo cap	12*


Notes: Nozzle Information—All I-40 model sprinklers include a complete set of nozzles.

All I-40 sprinklers can be ordered with a specific factory-installed nozzle at no charge. Add the appropriate nozzle number to the end of the model number. For example, I40-04-SS-23 or I40-06-SS-R-23 indicates that a #23 nozzle is factory-installed.

I-40 sprinklers are sold in carton quantities only.

*Special Purpose sprinklers can be ordered in less than carton quantity.

I-90: Gear-Driven Rotors



I-90, 8 cm Large Area Pop-up Rotor with 8 nozzles and 1 1/2" BSP inlet

Model	List Price \$	Description	Carton Qty.
I-90-ADV-B	195.00	Adjustable arc with check valve	6
I-90-36V-B	195.00	Full-circle with check valve	6
I-90-ARV-B	200.00	Adjustable arc with check valve and reclaimed water ID logo cap	6
I-90-3RV-B	200.00	Full-circle with check valve and reclaimed water ID logo cap	6

Notes: Nozzle Information—All I-90 model sprinklers include a complete set of 8 nozzles. Nozzle No. 53 is factory installed. Stator must be adjusted when changing nozzles.

To order a specific factory-installed nozzle, add the appropriate nozzle number (e.g., 25 through 73) to the end of the model number. For example, I90-ADV-43 indicates the adjustable arc I-90 sprinkler with the #43 nozzle factory installed. There is no charge for factory-installed nozzles with Institutional Series™ sprinklers.

I-90 sprinklers are sold in carton quantities only.

Rotor Accessories

Model	List Price \$	Description	Carton Qty.
222700	5.00	Sub-surface stabilizer flange (I-25 and I-40 Rotors)	1
TURFCUPKITI40	40.00	Turf cup kit, Converts I-40 rotors built after Nov. 2013 to turf cup model	1
467955	70.00	Turf cup kit, converts I-90 sprinklers to turf cup model	1
234200	70.00	Rubber cover kit, I-90-ADV*	1
234201	70.00	Rubber cover kit, I-90-36V*	1


Notes: *Rubber Cover Kit:
 I90-ADV: P/N 234200 (all)
 I90-36V: P/N 234200 (0711 date code and after)
 I90-36V: P/N 234201 (0611 date code and prior only)

ST System: Synthetic Turf Rotors and Component Accessories

ST System Kit Configurations


(rotors and component accessories must be ordered individually from list that follows kits)

Kit Number	Kit Description and Included Items
STK-1	STG-900 Block System (remotely located valve) STG-900-83 rotor, 473900 rubber cover kit, ST-173026-B vault, ST-2008-VA swing joint, HQ5RC quick coupler, 239300 & 239800 adapter fittings and 241400 BSP swing joint inlet adapter
STK-2	STG-900 VAH System (valve adjacent to head) STG-900-83 rotor, 473900 rubber cover kit, ST-173026-B vault, ST-2008-VA swing joint, ST-VBVF-K valve & fitting set, HQ-5RC-BSP quick coupler, 239800 adapter fitting and 241400 BSP swing joint inlet adapter
STK-5V	ST-1600 Block System (remotely located valve) ST-1600B rotor, ST-IBS-1600 infill barrier system, ST-BKT-1600 rotor hanger bracket, ST-243636-B vault, ST-BVF30-K manifold kit, ST-H30-K inlet hose, ST-SPT-K support stand (2 required), 855000 BSP inlet adapter (if needed), 855100 BSP drain valve adapter (if needed)
STK-6V	ST-1600 VAH System (valve adjacent to head) ST-1600B rotor, ST-IBS-1600 infill barrier system, ST-BKT-1600 rotor hanger bracket, ST-243636-B vault, ST-BVF30-K manifold kit, ST-V30-KV control valve, ST-NDL-K adjustable slow opening kit, ST-H30-K inlet hose, ST-SPT-K support stand (2 required), 855000 BSP inlet adapter (if needed), 855100 BSP drain valve adapter (if needed), HQ-5RC-BSP quick coupler



ST Rotors

Model	List Price \$	Description	Carton Qty.
ST-90-B-83	335.00	Pop-up, jar top, 40°-360° adjustable arc, 1 1/2" (40 mm) BSP inlet (does not fit ST173026B enclosure)	6
STG-900-83	360.00	Pop-up, top service, 40°-360° adjustable arc, 1 1/2" Acme inlet, for kits STK-1B and STK-2B	4
ST-1200BR	350.00	Riser mount, 40°-360° adjustable arc, 1 1/2" (40 mm) BSP inlet	6
ST-1600-B	1,360.00	Pop-up, top service, 40°-360° adjustable arc, 2" (50 mm) BSP inlet, for kits STK-5V, STK-6V (2" (50 mm) BSP inlet adapter included with ST-BVF30K fitting kit)	1
ST-1600-HS-B	1,360.00	High Speed ST-1600B	1
ST-1600-BR	775.00	Riser mount, 40°-360° adjustable arc, 2" (50 mm) BSP inlet	6
ST-1600-HS-BR	775.00	High Speed ST-1600BR	6




ST Accessories


Model	List Price \$	Description	Carton Qty.
ST-IBS-1600	175.00	Infill Barrier System rubber cover kit for ST-1600-B Rotor	1
ST-BKT-1600	295.00	Rotor vault hanger and grade adjustment bracket for ST-1600B rotor (for STK-5V & STK-6V)	1
ST-173026-A	975.00	Composite vault, 2 x pre-cast Quick-Access ports and sub-covers (No rotor hole, NOT for STK-1B & STK-2B)	2 per pallet
ST-173026-B	925.00	Composite vault, pre-cast holes for rotor & quick coupler (for STK-1B & STK-2B)	2 per pallet
ST-243636-B	1,550.00	Composite vault, pre-cast hole for rotor and 2 x quick-access ports for quick coupler & remote on-off-auto selector (for STK-5V & STK-6V)	2 per pallet
ST-2008-VA	325.00	VA swing joint, 5 cm PVC, 7 Acme pivot points (for STK-1B & STK-2B)	1

ST Accessories (continued)			
Model	List Price \$	Description	Carton Qty.
ST-BVF30-K	1,195.00	Manifold valve and fitting kit: 3" (80 mm) ductile iron galvanized grooved fittings including 6 x grooved couplings, 3" (80 mm) grooved x 2" (50 mm) BSP rotor adapter fitting, 3" (80 mm) grooved x 1" (25 mm) NPT quick coupler point of connection adapter, 3" (80 mm) grooved x 3" (80 mm) NPT inlet adapter plus 3" (80 mm) ductile iron epoxy coated butterfly valve and 1" (25 mm) brass ball-valve drain-valve. (for STK-5V & STK-6V)	1
ST-H30-K	595.00	Ultra-flexible 3" (80 mm) x 26" (660 mm) stainless steel corrugated manifold inlet hose with stainless steel braided outer support layer. (for STK-5V & STK-6V)	1
ST-SPT-K	100.00	Adjustable manifold support stand - 2 required per STK-5V, STK-6V (for STK-5V & STK-6V)	2
ST-V20-KVP	895.00	2" (50 mm) plastic control valve with ultra low loss and slow opening safety feature, 80 mm grooved (Victaulic™ type) inlet/outlet fittings, 91 cm remotely located solenoid & on-off-auto selector manifold (for STK-6V)	1
ST-V30-KV	1,575.00	3" (80 mm) metal control valve with ultra low loss and slow opening safety feature, 80 mm grooved (Victaulic™ type) inlet/outlet fittings, 91 cm remotely located solenoid & on-off-auto selector manifold (for STK-6V)	1
ST-NDL-K	25.00	Adjustable valve opening speed kit (for STK-6V)	1
ST-ADH-K	40.00	ST approved adhesive for attaching artificial turf, track or ST-FRP-1600 to the Infill Barrier system. (approx. one needed per two IBS)	6
ST-FRP-1600	100.00	Simulated concrete cover for attachment to flattened IBS and, used as base for pour-in-place running track material	2
ST-SSA	70.00	AC standard solenoid kit	1
ST-LSA	75.00	DC latching solenoid kit	1
ST-VBVF-K	250.00	1 ½" (40 mm) ICV-151G valve, manual ball valve, all connecting fittings (for STK-2B)	1
234200	70.00	ST90 rubber cover kit	1
473900	115.00	STG900 rubber cover kit	1
HQ-5RC-BSP	111.00	Quick coupler, 1" (25 mm) BSP inlet, 1¼" (32 mm) outlet for key (HK55 key and HS1B/HS2B swivel sold separately)	10

ST Fittings			
Model	List Price \$	Description	Carton Qty.
239300	9.50	Connector between STG900 rotor and 239800 elbow (STK-1B)	1
239800	19.50	Elbow between ST2008VA swing joint and 239300 connector (STK-1B). Also, elbow between STG900 rotor and STVBVFK (STK-2B).	1
239302	9.50	Connects ST90 BSP inlet rotor to ST2008VA swing joint (not used in kits)	1
241400	9.50	Adapter, converts 2" (50 mm) pipe ST2008VA swing joint inlet to 2" male BSP threads	1
855000	95.00	Stainless steel BSP manifold inlet adapter converts 3" (80 mm) NPT female inlet to 3" (80 mm) BSP female inlet (if needed)	1
855100	39.00	BSP drain valve adapter nipple converts 1" (25 mm) female NPT threads to 1" (25 mm) male BSP threads (2 required - if needed)	1



ST Rotor Tool			
Model	List Price \$	Description	Carton Qty.
517600	58.00	ST-1600B Service Tool, for removing gear drive from pop-up body (one required per site)	1



MP Rotator

MP800SR

Model	List Price \$	Description	Carton Qty.
MP800SR90	10.50	MP800SR: Adjustable radius 1.8 m - 3.5 m, adjustable arc 90°-210°, female threaded (orange)	10
MP800SR360	10.50	MP800SR: Adjustable radius 1.8 m - 3.5 m, 360°, female threaded (lime green)	10

MP1000

Model	List Price \$	Description	Carton Qty.
MP100090	10.50	MP1000: Adjustable radius 2.5 m-4.5 m, adjustable arc 90°-210°, female threaded (maroon)	10
MP1000210	10.50	MP1000: Adjustable radius 2.5 m-4.5 m, adjustable arc 210°-270°, female threaded (lt. blue)	10
MP1000360	10.50	MP1000: Adjustable radius 2.5 m-4.5 m, 360°, female threaded (olive)	10

MP2000

Model	List Price \$	Description	Carton Qty.
MP200090	10.50	MP2000: Adjustable radius 4.0 m-6.4 m, adjustable arc 90°-210°, female threaded (black)	10
MP2000210	10.50	MP2000: Adjustable radius 4.0 m-6.4 m, adjustable arc 210°-270°, female threaded (green)	10
MP2000360	10.50	MP2000: Adjustable radius 4.0 m-6.4 m, 360°, female threaded (red)	10

MP3000

Model	List Price \$	Description	Carton Qty.
MP300090	10.50	MP3000: Adjustable radius 6.7 m-9.1 m, adjustable arc 90°-210°, female threaded (blue)	10
MP3000210	10.50	MP3000: Adjustable radius 6.7 m-9.1 m, adjustable arc 210°-270°, female threaded (yellow)	10
MP3000360	10.50	MP3000: Adjustable radius 6.7 m-9.1 m, 360°, female threaded (grey)	10


MP3500

Model	List Price \$	Description	Carton Qty.
MP350090	10.50	MP3500: Adjustable radius 9.4 m-10.7 m, adjustable arc 90°-210°, female threaded (tan)	10

MP1000HT*

Model	List Price \$	Description	Carton Qty.
MP1000HT90	12.50	MP1000: Adjustable radius 2.5 m-4.5 m, adjustable arc 90°-210°, male threaded (maroon)	10
MP1000HT360	12.50	MP1000: Adjustable radius 2.5 m-4.5 m, 360°, male threaded (olive)	10

Notes: The MP1000HT210 lt. blue nozzle not available with male threads.

**MP2000HT***

Model	List Price \$	Description	Carton Qty.
MP2000HT90	12.50	MP2000: Adjustable radius 4 m-6.4 m, adjustable arc 90°-210°, male threaded (black)	10
MP2000HT210	12.50	MP2000: Adjustable radius 4 m-6.4 m, adjustable arc 210°-270°, male threaded (green)	10
MP2000HT360	12.50	MP2000: Adjustable radius 4 m-6.4 m, 360°, male threaded (red)	10

Notes: *Represents male threaded version.

MP3000HT*

Model	List Price \$	Description	Carton Qty.
MP3000HT90	12.50	MP3000: Adjustable radius 6.7 m-9.1 m, adjustable arc 90°-210°, male threaded (blue)	10
MP3000HT210	12.50	MP3000: Adjustable radius 6.7 m-9.1 m, adjustable arc 210°-270°, male threaded (yellow)	10
MP3000HT360	12.50	MP3000: Adjustable radius 6.7 m-9.1 m, 360°, male threaded (grey)	10

MP Corner

Model	List Price \$	Description	Carton Qty.
MPCORNER	10.50	MP Corner: Adjustable radius 2.5 m-4.5 m, adjustable arc 45°-105°, female threaded (turquoise)	10

MP Strip

Model	List Price \$	Description	Carton Qty.
MPLCS515	10.50	MP left corner, 1.5 m x 4.6 m, female threaded (ivory)	10
MPRCS515	10.50	MP right corner, 1.5 m x 4.6 m, female threaded (copper)	10
MPSS530	10.50	MP side strip, 1.5 m x 9.1 m, female threaded (brown)	10

MP Corner HT*

Model	List Price \$	Description	Carton Qty.
MPCORNERHT	12.50	MP corner: adjustable radius 2.5 m-4.5 m, adjustable arc 45°-105°, male threaded (turquoise)	10

MP Strip HT*


Model	List Price \$	Description	Carton Qty.
MPLCSHT515	12.50	MP left corner, 1.5 m x 4.6 m, male threaded (ivory)	10
MPRCSHT515	12.50	MP right corner, 1.5 m x 4.6 m, male threaded (copper)	10
MPSSHT530	12.50	MP side strip, 1.5 m x 9.1 m, male threaded (brown)	10

Notes: *Represents male threaded version.

MP Rotator Accessories

Model	List Price \$	Description	Carton Qty.
MPTOOL	1.05	Adjustment tool, arc/radius	10
MP8SCREEN	0.25	Very fine-MP800SR	1
MPFSCREEN	0.25	Fine-MP2000/MP1000	1
MPCSCREEN	0.25	Coarse-MP3000/MP3500	1
MPTFSCREEN	0.25	Fine-MP2000HT/MP1000HT	1
MPTCSCREEN	0.25	Coarse-MP3000HT	1
MPSTICK	3.75	2-piece tool kit, arc/radius, decal included	1
MPADAPTER	2.70	Pressure gauge adapter, MP Rotator	1
MPGAUGE	50.00	Pressure gauge with adapter	1

Eco-Rotator: Rotary Sprinkler Combination




Model Eco-Rotator, 10 cm Pop-up Sprinkler with integral MP Rotator nozzle and ½" inlet

Model	List Price \$	Description	Carton Qty.
ECO-04-1090	12.00	Eco-Rotator 10 cm sprinkler with MP1000 90°-210° (maroon)	50
ECO-04-2090	12.00	Eco-Rotator 10 cm sprinkler with MP2000 90°-210° (black)	50
ECO-04-3090	12.00	Eco-Rotator 10 cm sprinkler with MP3000 90°-210° (blue)	50
ECO-04-10360	12.00	Eco-Rotator 10 cm sprinkler with MP1000 360° (olive)	50
ECO-04-20360	12.00	Eco-Rotator 10 cm sprinkler with MP2000 360° (red)	50
ECO-04-30360	12.00	Eco-Rotator 10 cm sprinkler with MP3000 360° (grey)	50


Notes: Model Eco-Rotator sprinklers are sold in carton quantities only.

PS Ultra: Sprays with Pre-Installed Nozzle




Model PS Ultra, 5 cm Pop-up Sprays with pre-installed nozzle or flush plug and 1/2" inlet

Model	List Price \$	Description	Carton Qty.
PSU-02	2.65	with flush plug, no large screen	100
PSU-02-10A	3.00	3.0 m radius, adjustable arc (0°-360°), no large screen	100
PSU-02-12A	3.00	3.7 m radius, adjustable arc (0°-360°), no large screen	100
PSU-02-15A	3.00	4.6 m radius, adjustable arc (0°-360°), no large screen	100
PSU-02-17A	3.00	5.2 m radius, adjustable arc (0°-360°), no large screen	100
PSU-02-5SS	3.00	1.5 m x 9.1 m, side strip, no large screen	100



Model PS Ultra, 10 cm Pop-up Sprays with pre-installed nozzle or flush plug and 1/2" inlet

Model	List Price \$	Description	Carton Qty.
PSU-04	2.80	with flush plug, no large screen	100
PSU-04-10A	3.00	3.0 m radius, adjustable arc (0°-360°)	100
PSU-04-10A-NFO	2.85	3.0 m radius, adjustable arc (0°-360°), Nozzle Filter Only	100
PSU-04-12A	3.00	3.7 m radius, adjustable arc (0°-360°)	100
PSU-04-12A-NFO	2.85	3.7 m radius, adjustable arc (0°-360°), Nozzle Filter Only	100
PSU-04-15A	3.00	4.6 m radius, adjustable arc (0°-360°)	100
PSU-04-15A-NFO	2.85	4.6 m radius, adjustable arc (0°-360°), Nozzle Filter Only	100
PSU-04-17A	3.00	5.2 m radius, adjustable arc (0°-360°)	100
PSU-04-17A-NFO	2.85	5.2 m radius, adjustable arc (0°-360°), Nozzle Filter Only	100
PSU-04-5SS	3.00	1.5 m x 9.1 m, side strip	100
PSU-04-5SS-NFO	2.85	1.5 m x 9.1 m, side strip, nozzle filter only	100



Model PS Ultra, 15 cm Pop-up Sprays with pre-installed nozzle or flush plug and 1/2" inlet

Model	List Price \$	Description	Carton Qty.
PSU-06	7.25	with flush plug, no large screen	100
PSU-06-10A	8.25	3.0 m radius, adjustable arc (0°-360°)	100
PSU-06-12A	8.25	3.7 m radius, adjustable arc (0°-360°)	100
PSU-06-15A	8.25	4.6 m radius, adjustable arc (0°-360°)	100
PSU-06-17A	8.25	5.2 m radius, adjustable arc (0°-360°)	100

Notes: Model PS Ultra sprinklers are sold in carton quantities only.

PS Ultra Accessories

Model	List Price \$	Description	Carton Qty.
162900	0.55	PS Ultra replacement filter screen (fits 10 cm and 15 cm bodies)	1
462237	22.50	PS Ultra drain check valve, field installed, bag of 25, (available for 10 cm and 15 cm bodies only)	1

Pro-Spray®: Residential/Commercial Sprays



Pro-Spray Sprinkler Bodies with ½" inlet			
Model	List Price \$	Description	Carton Qty.
PROS-00	1.10	Shrub adapter, fits onto ½" NPT riser, female thread	25/250
PROS-02	2.60	5 cm pop-up spray body, accepts female thread nozzles	50
PROS-03	2.60	7.5 cm pop-up spray body, accepts female thread nozzles	50
PROS-04	2.60	10 cm pop-up spray body, accepts female thread nozzles	50
PROS-06	12.00	15 cm pop-up spray body, accepts female thread nozzles	25
PROS-12	16.00	30 cm pop-up spray body, accepts female thread nozzles	25
PROS-06-NSI	8.80	15 cm pop-up spray body, no side inlet model, accepts female thread nozzles	25
PROS-12-NSI	13.00	30 cm pop-up spray body, no side inlet model, accepts female thread nozzles	25
PROS-04-CV	5.70	10 cm pop-up spray body with check valve, accepts female thread nozzles	50
PROS-06-CV	13.00	15 cm pop-up spray body with check valve, no side inlet model, accepts female thread nozzles	25
PROS-12-CV	18.00	30 cm pop-up spray body with check valve, no side inlet model, accepts female thread nozzles	25
PROS-00-R	2.15	Shrub adapter, fits onto ½" NPT riser, female thread, reclaimed water version	25/250
PROS-04-CV-R	10.00	10 cm pop-up spray body with check valve, no side inlet model, accepts female thread nozzles, with reclaimed water body cap	50
PROS-06-CV-R	18.00	15 cm pop-up spray body with check valve, no side inlet model, accepts female thread nozzles, with reclaimed water body cap	25
PROS-12-CV-R	22.00	30 cm pop-up spray body with check valve, no side inlet model, accepts female thread nozzles, with reclaimed water body cap	25
PROS-RC-CAP	1.05	Snap-on reclaimed water identification cap, fits Pro-Spray and PRS30	1
458520	3.95	Reclaimed water thread-on body cap, Pro-Spray	1
458525	3.95	Reclaimed water thread-on body cap, Pro-Spray with check valve ID	1
213600	2.00	Shut off cap for PROS/INST, thread-on	5
437400	1.00	Drain check valve for all pop up Pro-Spray models	1

Notes: Pro-Spray sprinklers are sold in carton quantities only.

Pro-Spray® PRS30: 2.1 bar (210 kPa) Pressure Regulated Commercial Sprays



Pro-Spray PRS30 Sprinkler Bodies with ½" inlet (brown cap)

Model	List Price \$	Description	Carton Qty.
PROS-00-PRS30	5.95	Pressure regulated shrub adapter, fits onto ½" NPT riser, accepts standard female threaded nozzles	25/250
PROS-04-PRS30	7.60	10 cm pop-up spray body with pressure regulator, accepts female threaded nozzles	50
PROS-06-PRS30	18.00	15 cm pop-up spray body with pressure regulator, accepts female threaded nozzles	25
PROS-12-PRS30	22.00	30 cm pop-up spray body with pressure regulator, accepts female threaded nozzles	25
PROS-06-NSI-PRS30	16.00	15 cm pop-up spray body with pressure regulator, no side inlet model, accepts female threaded nozzles	25
PROS-12-NSI-PRS30	20.00	30 cm pop-up spray body with pressure regulator, no side inlet model, accepts female threaded nozzles	25
PROS-04-PRS30-CV	10.00	10 cm pop-up spray body with pressure regulator and check valve, accepts female thread nozzles	50
PROS-06-PRS30-CV	20.50	15 cm pop-up spray body with pressure regulator and check valve, no side inlet model, accepts female thread nozzles	25
PROS-12-PRS30-CV	25.00	30 cm pop-up spray body with pressure regulator and check valve, no side inlet model, accepts female thread nozzles	25
PROS-00-PRS30-R	8.30	Pressure regulated shrub adapter, fits onto ½" NPT riser, reclaimed water body, accepts standard female threaded nozzles	25/250
PROS-04-PRS30-CV-R	14.00	10 cm pop-up spray body with check valve, accepts female thread nozzles, with reclaimed water body cap	50
PROS-06-PRS30-CV-R	25.00	15 cm pop-up spray body with check valve, no side inlet model, accepts female thread nozzles, with reclaimed water body cap	25
PROS-12-PRS30-CV-R	31.00	30 cm pop-up spray body with check valve, no side inlet model, accepts female thread nozzles, with reclaimed water body cap	25
458560	3.95	Pro-Spray PRS30 reclaimed water thread-on body cap with check valve ID	1
PROS-RC-CAP	1.05	Snap-on reclaimed water identification cap, fits all Pro-Spray bodies	1
PROS-PRS30-VPC	4.00	Pro-Spray PRS30 brown vandal proof cap	1
437400	1.00	Drain check valve for all pop up Pro-Spray models	1

Notes: Pro-Spray sprinklers are sold in carton quantities only.

Pro-Spray® PRS40: 2.8 bar (280 kPa) Pressure Regulated Commercial Sprays



Pro-Spray PRS40 Sprinkler Bodies with ½" inlet (grey cap)			
Model	List Price \$	Description	Carton Qty.
PROS-00-PRS40	5.95	Pressure regulated shrub adapter, fits onto ½" NPT riser, accepts standard female threaded nozzles	25/250
PROS-04-PRS40-CV	10.00	10 cm pop-up spray body with pressure regulator and check valve, accepts female threaded nozzles	50
PROS-06-PRS40-CV	20.50	15 cm pop-up spray body with pressure regulator and check valve, no side inlet model, accepts female threaded nozzles	25
PROS-12-PRS40-CV	25.00	30 cm pop-up spray body with pressure regulator and check valve, no side inlet model, accepts female threaded nozzles	25
PROS-00-PRS40-R	8.30	Pressure regulated shrub adapter, fits onto ½" NPT riser, reclaimed water body, accepts standard female threaded nozzles	25/250
PROS-04-PRS40-CV-R	14.00	10 cm pop-up spray body with pressure regulator and check valve, accepts female threaded nozzles, with reclaimed water body cap	50
PROS-06-PRS40-CV-R	25.00	15 cm pop-up spray body with pressure regulator and check valve, no side inlet model, accepts female threaded nozzles, with reclaimed water body cap	25
PROS-12-PRS40-CV-R	31.00	30 cm pop-up spray body with pressure regulator and check valve, no side inlet model, accepts female threaded nozzles, with reclaimed water body cap	25
458562	3.95	Pro-Spray PRS40 reclaimed water thread-on body cap with check valve ID	1
PROS-RC-CAP	1.05	Snap-on reclaimed water identification cap, fits all Pro-Spray bodies	1

Notes: Pro-Spray sprinklers are sold in carton quantities only.

Spray Nozzles



Precision Distribution Control® Adjustable Nozzles*, female thread			
Model	List Price \$	Description	Bag/Carton Qty.
4-A	1.50	1.2 m (4') radius adjustable arc nozzle (0-360°)	25/250
6-A	1.50	1.8 m (6') radius adjustable arc nozzle (0-360°)	25/250
8-A	1.50	2.4 m (8') radius adjustable arc nozzle (0-360°)	25/250
10-A	1.50	3.0 m (10') radius adjustable arc nozzle (0-360°)	25/250
12-A	1.50	3.7 m (12') radius adjustable arc nozzle (0-360°)	25/250
15-A	1.50	4.6 m (15') radius adjustable arc nozzle (0-360°)	25/250
17-A	1.50	5.2 m (17') radius adjustable arc nozzle (0-360°)	25/250



Adjustable Arc Stream Nozzles*, female thread			
Model	List Price \$	Description	Bag/Carton Qty.
S-8A	1.75	2.4 m (8') adjustable arc stream spray nozzle	25/250
S-16A	1.75	4.9 m (16') adjustable arc stream spray nozzle	25/250



Pro-Spray® Fixed Arc Nozzles*, female thread

Model	List Price \$	Description	Bag/Carton Qty.
5Q, 5H, 5F	1.75	1.5 m radius fixed arc nozzle	25/250
8Q, 8T, 8H, 8F	1.75	2.4 m radius, fixed arc nozzle	25/250
10Q, 10T, 10H, 10F	1.75	3.0 m radius, fixed arc nozzle	25/250
12Q, 12T, 12H, 12TT, 12TQ, 12F	1.75	3.7 m radius, fixed arc nozzle	25/250
15Q, 15T, 15H, 15TT, 15TQ, 15F	1.75	4.6 m radius, fixed arc nozzle	25/250
17Q, 17H	1.75	5.2 m radius, fixed arc nozzle	25/250



Short Radius Fixed Arc Nozzles*, female thread

Model	List Price \$	Description	Bag/Carton Qty.
2Q, 2H	1.75	0.6 m radius, fixed arc nozzle	25/250
4Q, 4H	1.75	1.2 m radius, fixed arc nozzle	25/250
6Q, 6H	1.75	1.8 m radius, fixed arc nozzle	25/250



Specialty Spray Pattern Nozzles*, female thread

Model	List Price \$	Description	Bag/Carton Qty.
CS-530	1.75	1.5 m x 9.1 m center strip nozzle	25/250
ES-515	1.75	1.5 m x 4.5 m end strip nozzle	25/250
LCS-515	1.75	1.5 m x 4.5 m corner strip nozzle, left	25/250
RCS-515	1.75	1.5 m x 4.5 m corner strip nozzle, right	25/250
SS-530	1.75	1.5 m x 9.1 m side strip nozzle	25/250
SS-918	1.75	2.7 m x 5.5 m side strip nozzle	25/250

Notes: *All Nozzles are sold in carton quantities only. All nozzles include filter screen.


Filter Screens



Spray Nozzle Filter Screen

Model	List Price \$	Description	Carton Qty.
464716	0.17	Replacement filter screen for spray nozzles, grey (fine mesh)	25
464717	0.17	Replacement filter screen for spray nozzles, black (coarse mesh)	25

Bubblers and Bubbler Nozzles




Model PCN, pressure compensating bubbler nozzles "flood pattern," female threaded

Model	List Price \$	Description	Carton Qty.
PCN-25	2.60	Pressure compensating bubbler nozzle, 0.9 l/min	25/250
PCN-50	2.60	Pressure compensating bubbler nozzle, 1.9 l/min	25/250
PCN-10	2.60	Pressure compensating bubbler nozzle, 3.8 l/min	25/250
PCN-20	2.60	Pressure compensating bubbler nozzle, 7.6 l/min	25/250

Notes: Pressure Compensating Bubbler Nozzles are sold in carton quantities only. All nozzles include filter screen.

Bubblers and Bubbler Nozzles (continued)



Model MSBN, Multi-Stream Pressure Compensating Bubbler Nozzles
 30 cm radius, "spider" pattern, female threaded

Model	List Price \$	Description	Carton Qty.
MSBN-25Q	3.60	Multi-stream spider bubbler nozzle, 0.9 l/min quarter	25/250
MSBN-50H	3.60	Multi-stream spider bubbler nozzle, 1.9 l/min half	25/250
MSBN-10F	3.60	Multi-stream spider bubbler nozzle, 3.8 l/min full	25/250
MSBN-50Q	3.60	Multi-stream spider bubbler nozzle, 1.9 l/min quarter	25/250
MSBN-10H	3.60	Multi-stream spider bubbler nozzle, 3.8 l/min half	25/250
MSBN-20F	3.60	Multi-stream spider bubbler nozzle, 7.6 l/min full	25/250


Notes: Multi-Stream Bubbler Nozzles are sold in carton quantities only. All nozzles include filter screen.



Model CST, Dual Stream Strip Pattern Bubbler Nozzles, 1.5 m (5') radius, female thread

Model	List Price \$	Description	Carton Qty.
5-CST-B	1.75	1.5 m radius, center stream bubbler nozzle, 1.9 l/min	25/250


Notes: Dual Stream Bubbler Nozzles are sold in carton quantities only. All nozzles include filter screen.



Model PCB, Pressure Compensating Bubbler, 1/2" thread "flood pattern"

Model	List Price \$	Description	Carton Qty.
PCB-25	5.40	Pressure compensating bubbler 1/2" thread, 0.9 l/min	25/250
PCB-50	5.40	Pressure compensating bubbler 1/2" thread, 1.9 l/min	25/250
PCB-10	5.40	Pressure compensating bubbler 1/2" thread, 3.8 l/min	25/250
PCB-20	5.40	Pressure compensating bubbler 1/2" thread, 7.6 l/min	25/250

Notes: Pressure Compensating Bubbler Nozzles are sold in carton quantities only. All nozzles include filter screen. Available in reclaimed purple option. Add "-R" to the Model.




Model AFB, Adjustable Flood Bubbler, 1/2" thread "flood pattern," adjustment screw


Model	List Price \$	Description	Carton Qty.
AFB	4.10	Adjustable flood bubbler 1/2" thread, maximum flow 7.6 l/min, pressure compensating	25/250

Notes: Adjustable Flood Bubblers are sold in carton quantities only. All bubblers include filter screen.


1" PGV: Professional Grade Valves



Female Thread



Male x Male




Angle


Model	List Price \$	Description	Carton Qty.
PGV-100G-B	21.25	1" (25 mm) plastic globe valve, without flow control , female BSP inlet and outlet	20
PGV-100MM-B	21.25	1" (25 mm) plastic globe valve, without flow control , male BSP inlet and outlet	20
PGV-101G-B	22.50	1" (25 mm) plastic globe valve, with flow control , female BSP inlet and outlet	20
PGV-101MM-B	22.50	1" (25 mm) plastic globe valve, with flow control , male BSP inlet and outlet	20
PGV-100A-B	31.25	1" (25 mm) plastic angle valve, without flow control , female BSP inlet and outlet	20
PGV-101A-B	33.25	1" (25 mm) plastic angle valve, with flow control , female BSP inlet and outlet	20
269205	2.00	Reclaimed water ID Handle for PGV101 Series	1
458200	20.00	DC latching solenoid for all Hunter valves	1

Notes: For PGV with factory installed DC latching solenoid, specify -DC and add \$23.00 to the list price of the valve. Valves are sold in carton quantities only.

1" PGV Jar-Top: Professional Grade Valves with Jar-Top Bonnet



Male x Male




Thread

Model	List Price \$	Description	Carton Qty.
PGV-100-JTG-B	21.25	1" (25 mm) plastic globe valve, jar-top bonnet, without flow control , female BSP inlet and outlet	20
PGV-101-JTG-B	22.50	1" (25 mm) plastic globe valve, jar-top bonnet, with flow control , female BSP inlet and outlet	20
PGV-100-JTMM-B	21.25	1" (25 mm) plastic globe valve, jar-top bonnet, without flow control , male BSP inlet and outlet	20
PGV-101-JTMM-B	22.50	1" (25 mm) plastic globe valve, jar-top bonnet, with flow control , male BSP inlet and outlet	20
269205	2.00	Reclaimed water ID handle for PGV101 Series	1
458200	20.00	DC latching solenoid for all Hunter valves	1

Notes: For PGV Jar-Top with factory installed DC latching solenoid, specify -DC and add \$23.00 to the list price of the valve. Valves are sold in carton quantities only.



PGV 1 1/2" & 2" Valves

Combination
Globe/Angle

Model	List Price \$	Description	Carton Qty.
PGV-151-B	66.00	1 1/2" (40 mm) plastic combination globe/angle valve, with flow control, BSP inlets	8
PGV-201-B	84.00	2" (50 mm) plastic combination globe/angle valve, with flow control, BSP inlets	8
607105	2.00	Reclaimed water ID handle for PGV151-201 Series	1
ACCU-SYNC	N/A	For model information, see page 20.	N/A
458200	20.00	DC latching solenoid for all Hunter valves	1

Notes: For PGV with factory installed DC latching solenoid, specify -DC and add \$23.00 to the list price of the valve. Valves are sold in carton quantities only.


ICV: Institutional Commercial Valves



Model	List Price \$	Description	Carton Qty.
ICV-101G-B	69.00	1" (25 mm) glass-filled nylon, 15 bar globe valve, with flow control	12
ICV-101G-B-FS	85.00	1" (25 mm) glass-filled nylon, 15 bar globe valve, with flow control and Filter Sentry™ option	12
ICV-151G-B	95.00	1½" (40 mm) glass-filled nylon, 15 bar globe valve, with flow control	8
ICV-151G-B-FS	105.00	1½" (40 mm) glass-filled nylon, 15 bar globe valve, with flow control and Filter Sentry option	8
ICV-201G-B	112.00	2" (50 mm) glass-filled nylon, 15 bar globe valve, with flow control	8
ICV-201G-B-FS	130.00	2" (50 mm) glass-filled nylon, 15 bar globe valve, with flow control and Filter Sentry option	8
561205	6.00	Reclaimed water ID handle for ICV101-201 Series	1
ICV-301-B	350.00	3" (80 mm) glass-filled nylon, 15 bar globe/angle valve, with flow control	1
ICV-301-B-FS	375.00	3" (80 mm) glass-filled nylon, 15 bar globe/angle valve, with flow control and Filter Sentry option	1
515005	6.00	Reclaimed water ID handle for ICV301 Series	1
ACCU-SYNC	N/A	For model information, see below.	N/A
458200	20.00	DC latching solenoid for all Hunter valves	1

Notes: For ICV with factory installed DC latching solenoid, specify -DC. Add \$23.00 to the list price of the valve.



IBV: Hunter Brass Valves



Model	List Price \$	Description	Carton Qty.
IBV-101G-B-FS	235.00	1" (25 mm) BSP brass globe valve, with flow control, with factory installed Filter Sentry™ diaphragm	4
IBV-151G-B-FS	415.00	1½" (40 mm) BSP brass globe valve, with flow control, with factory installed Filter Sentry diaphragm	2
IBV-201G-B-FS	430.00	2" (50 mm) BSP brass globe valve, with flow control, with factory installed Filter Sentry diaphragm	2
IBV-301G-B-FS	1,120.00	3" (80 mm) BSP brass globe valve, with flow control, with factory installed Filter Sentry diaphragm	1
700392	2.50	Reclaimed water ID tag for all IBV valves (Included on Filter Sentry models)	1
ACCU-SYNC	N/A	For model information, see page 21.	N/A
458200	20.00	DC latching solenoid for all Hunter valves	1



Notes: Valves are sold in carton quantities only.

Accu-Sync®



Model	List Price \$	Description	Carton Qty.
ACCU-SYNC-ADJ	50.00	Accu-Sync Pressure Regulator, adjustable pressure model 1.4–7 bar (20–100 PSI), works with any Hunter valve	1
ACCU-SYNC-20	45.00	Accu-Sync Pressure Regulator, fixed pressure 1.4 bar (20 PSI) model, works with any Hunter valve	1
ACCU-SYNC-30	45.00	Accu-Sync Pressure Regulator, fixed pressure 2.1 bar (30 PSI) model, works with any Hunter valve	1
ACCU-SYNC-40	45.00	Accu-Sync Pressure Regulator, fixed pressure 2.8 bar (40 PSI) model, works with any Hunter valve	1
ACCU-SYNC-50	45.00	Accu-Sync Pressure Regulator, fixed pressure 3.5 bar (50 PSI) model, works with any Hunter valve	1
ACCU-SYNC-70	45.00	Accu-Sync Pressure Regulator, fixed pressure 4.8 bar (70 PSI) model, works with any Hunter valve	1

Drip Control Zone Kit: Ships assembled for immediate installation.



Model	List Price \$	Description	Carton Qty.
PCZ-101-25-B	75.00	1" BSP Inlet Drip Zone Control Kit with PGV flow control valve 1.7 bar (25 PSI) regulator, 3/4" outlet	1
PCZ-101-40-B	75.00	1" BSP Inlet Drip Zone Control Kit with PGV flow control valve 2.8 bar (40 PSI) regulator, 3/4" outlet	1
269205	2.00	Reclaimed water ID handle for PGV101 Series	1
HY-075	20.75	3/4" NPT WYE filter with 150 mesh stainless steel screen	1
HFR-075-25	40.00	Pressure regulating filter, 3/4" inlet and outlet, 25 PSI regulation	1
HFR-075-40	40.00	Pressure regulating filter, 3/4" inlet and outlet, 40 PSI regulation	1

HCV: Hunter Check Valves




Model	List Price \$	Description	Carton Qty.
HC-50F-50F	7.00	½" female inlet and ½" female outlet	40
HC-50F-50M	7.00	½" female inlet and ½" male outlet	40
HC-75F-75M	8.00	¾" female inlet and ¾" male outlet	40

Notes: HCV check valves are sold in carton quantities only.

Valve Accessories


Model	List Price \$	Description	Carton Qty.
458200	32.00	DC latching solenoid for all Hunter plastic valves	1
464322	31.00	Solenoid conduit covers	10

Waterproof Connections



Model	List Price \$	Description	Qty.
DBRY-100	245.00	Direct burial waterproof connectors, DBRY-6 UL listed up to 600V, 100 pieces bulk-packed	1
DBRY2X25	145.00	Direct burial waterproof connectors, DBRY-6 UL listed up to 600V, 25 x 2 packs	1


HQ: Quick Coupling Valves



Model	List Price \$	Description	Carton Qty.
HQ-3RC	66.00	¾" female inlet, 2 slots, 1 piece body, yellow lid	10
HQ-33DRC	81.00	¾" female inlet, 2 slots, 2 piece body, yellow lid	10
HQ-33DLRC	96.00	¾" female inlet, 2 slots, 2 piece body, yellow locking lid	10
HQ-33DLRC-R*	99.00	¾" female inlet, 2 slots, 2 piece body, purple locking lid	10
HQ-44RC	132.00	1" (25 mm) female NPT inlet, 1 slot, 2 piece body, yellow lid	10
HQ-44LRC	135.00	1" (25 mm) female NPT inlet, 1 slot, 2 piece body, yellow locking lid	10
HQ-44LRC-R*	135.00	1" (25 mm) female NPT inlet, 1 slot, 2 piece body, purple locking lid	10
HQ-44RC-AW	182.00	1" (25 mm) female NPT inlet, Acme keyway, 2 piece body, anti-rotation wings, yellow lid	10
HQ-44LRC-AW	190.00	1" (25 mm) female NPT inlet, Acme keyway, 2 piece body, anti-rotation wings, yellow locking lid	10
HQ-44LRC-AW-R*	190.00	1" (25 mm) female NPT inlet, Acme keyway, 2 piece body, anti-rotation wings, purple locking lid	10
HQ-5RC	115.00	1" (25 mm) female NPT inlet, 2 slots, 1 piece body, 1¼" keyway outlet, yellow lid	10
HQ-5LRC	120.00	1" (25 mm) female NPT inlet, 2 slots, 1 piece body, 1¼" keyway outlet, yellow locking lid	10
HQ-5LRC-R*	120.00	1" (25 mm) female NPT inlet, 2 slots, 1 piece body, 1¼" keyway outlet, purple locking lid	10
HQ-5RC-BSP	115.00	1" (25 mm) female BSP inlet, 2 slots, 1 piece body, 1¼" keyway outlet, yellow lid	10
HQ-5LRC-BSP	120.00	1" (25 mm) female BSP inlet, 2 slots, 1 piece body, 1¼" (30 mm) keyway outlet, yellow locking lid	10
HQ-5LRC-BSP-R*	120.00	1" (25 mm) female BSP inlet, 2 slots, 1 piece body, 1¼" (30 mm) keyway outlet, purple locking lid	10
HLK	12.00	Locking key for locking lids	10

Notes: *Models with purple locking lids are suitable for use on reclaimed water sites.

HK: Quick Coupling Keys



Model	List Price \$	Description	Carton Qty.
HK-33	45.00	¾" single lug inlet, combination ¾" male / ½" female outlet	10
HK-44	86.00	1" single stainless lug inlet, combination 1" NPT male / ¾" female outlet	10
HK-44A	91.00	1" Acme inlet, combination 1" NPT male / ¾" female outlet	10
HK-55	102.00	1¼" single stainless lug inlet, 1" NPT male outlet	10

HS: Quick Coupling Swivels



Model	List Price \$	Description	Carton Qty.
HS-0	51.00	¾" (20 mm) inlet, 20 mm (¾") hose outlet	10
HS-1	54.00	1" (25 mm) inlet, 20 mm (¾") hose outlet	10
HS-2	70.00	1" (25 mm) inlet, 25 mm (1") hose outlet	10
HS-1B	77.00	1" (25 mm) inlet, 20 mm (¾") BSP outlet	10
HS-2B	77.00	1" (25 mm) inlet, 25 mm (1") BSP outlet	10

Notes: Quick Coupler Valves, Keys and Swivels are sold in carton quantities only.

Eco-Logic: Residential Controllers - Indoor Mount



Model	List Price \$	Description	Carton Qty.
ELC-401i-E	51.00	4-station indoor controller, 230 VAC transformer, European plug	8
ELC-601i-E	58.00	6-station indoor controller, 230 VAC transformer, European plug	8


Notes: Spanish, French, and Italian faceplates and manuals for ELC included.

X-Core®: Residential Controllers - Indoor Mount




Model	List Price \$	Description	Carton Qty.
XC-201i-E	75.00	2-station indoor controller, 230 VAC transformer, European plug	10
XC-401i-E	85.00	4-station indoor controller, 230 VAC transformer, European plug	10
XC-601i-E	95.00	6-station indoor controller, 230 VAC transformer, European plug	10
XC-801i-E	120.00	8-station indoor controller, 230 VAC transformer, European plug	10
XC-401i-A	97.00	4-station indoor controller, 230 VAC transformer, Australian plug	10
XC-601i-A	110.00	6-station indoor controller, 230 VAC transformer, Australian plug	10
XC-801i-A	130.00	8-station indoor controller, 230 VAC transformer, Australian plug	10
XC-200i	92.00	2-station indoor controller, 120 VAC plug-in transformer	10
XC-400i	110.00	4-station indoor controller, 120 VAC plug-in transformer	10
XC-600i	125.00	6-station indoor controller, 120 VAC plug-in transformer	10
XC-800i	150.00	8-station indoor controller, 120 VAC plug-in transformer	10

X-Core®: Residential Controllers - Outdoor Mount




Model	List Price \$	Description	Carton Qty.
XC-401-E	130.00	4-station outdoor cabinet controller, 230 VAC internal transformer	10
XC-601-E	150.00	6-station outdoor cabinet controller, 230 VAC internal transformer	10
XC-801-E	180.00	8-station outdoor cabinet controller, 230 VAC internal transformer	10
XC-401-A	130.00	4-station outdoor cabinet controller, 230 VAC internal transformer, Australian plug/cord	10
XC-601-A	150.00	6-station outdoor cabinet controller, 230 VAC internal transformer, Australian plug/cord	10
XC-801-A	180.00	8-station outdoor cabinet controller, 230 VAC internal transformer, Australian plug/cord	10
XC-400	150.00	4-station outdoor cabinet controller, 120 VAC internal transformer	10
XC-600	170.00	6-station outdoor cabinet controller, 120 VAC internal transformer	10
XC-800	210.00	8-station outdoor cabinet controller, 120 VAC internal transformer	10

XC Hybrid: Residential/Light Commercial Controllers (Battery-Powered)




Model	List Price \$	Description	Carton Qty.
XCH-600	200.00	6-station indoor/outdoor controller, battery-powered	10
XCH-600-SS	545.00	6-station outdoor controller, battery-powered, stainless steel cabinet	1
XCH-1200	290.00	12-station indoor/outdoor controller, battery-powered	10
XCH-1200-SS	675.00	12-station outdoor controller, battery-powered, stainless steel cabinet	1
458200	20.00	DC latching solenoid for all Hunter plastic valves	1
XCHSPOLE	200.00	Mounting pole 1.2 m (4') for stainless XC Hybrid	1
XCHSPB	160.00	Bracket and hardware for pole mount	1
SPXCH	180.00	Solar Panel Kit for XCH Controllers	1
526500	32.00	Indoor 120V transformer. Bypasses batteries and transforms XCH into latching AC powered controller	1

Pro-C® (Conventional): Residential/Light Commercial Controllers - Indoor Mount




Model	List Price \$	Description	Carton Qty.
PCC-601i-E	185.00	6-station controller, indoor mount with 230 VAC plug-in transformer	8
PCC-1201i-E	265.00	12-station controller, indoor mount with 230 VAC plug-in transformer	8
PCC-600i	200.00	6-station controller, indoor mount with 120 VAC plug-in transformer	8
PCC-1200i	285.00	12-station controller, indoor mount with 120 VAC plug-in transformer	8

Pro-C® (Conventional): Residential/Light Commercial Controllers - Outdoor Mount



Model	List Price \$	Description	Carton Qty.
PCC-601-E	205.00	6-station controller, outdoor mount with 230 VAC internal transformer	8
PCC-1201-E	275.00	12-station controller, outdoor mount with 230 VAC internal transformer	8
PCC-601-A	205.00	6-station controller, outdoor mount with 230 VAC internal transformer, Australian plug/cord	8
PCC-1201-A	290.00	12-station controller, outdoor mount with 230 VAC internal transformer, Australian plug/cord	8
PCC-600	225.00	6-station controller, outdoor mount with 120 VAC internal transformer	8
PCC-1200	312.00	12-station controller, outdoor mount with 120 VAC internal transformer	8
526200	80.00	Old Pro-C (PCC Series) front panel assembly	1
821501	80.00	New Pro-C Front Panel	1
PXSYNC	59.00	Control relay for use in PX lighting transformers	1

Pro-C: Residential/Light Commercial Controllers




Model	List Price \$	Description	Carton Qty.
PC-401i-A	160.00	4-station base unit controller, indoor mount with 230 VAC external transformer, Australian plug expandable to 16 stations	8
PC-401i-E	160.00	4-station base unit controller, indoor mount with 230 VAC external transformer, European plug expandable to 16 stations	8
PC-400i	170.00	4-station base unit controller, indoor mount with 230 VAC external transformer, US style plug expandable to 16 stations	8
PC-401-A	190.00	4-station base unit controller, outdoor mount with 230 VAC internal transformer, Australian plug/cord expandable to 16 stations	8
PC-401-E	190.00	4-station base unit controller, outdoor mount with 230 VAC internal transformer, expandable to 16 stations	8
PC-400	200.00	4-station base unit controller, outdoor mount with 120 VAC internal transformer, expandable to 16 stations	8
526200	80.00	Old Pro-C front panel assembly	1
821501	80.00	New Pro-C Front Panel	1
PXSYNC	59.00	Control relay for use in PX lighting transformers	1
PCM-300	53.00	3-station module for Pro-C controller	20
PCM-900	200.00	9-station module for Pro-C controller, for specific use in expanding controller to 15 stations	6

Pro-C® Quick Reference Chart

Desired Station Config.	Order Base Unit	Plus Number of Modules	Specify as:
4 Zone	PC-401 or PC-301i	no module needed	PC-301i or PC-301
7 Zone	PC-401 or PC-301i	one PCM-400	PC-601i or PC-601
10 Zone	PC-401 or PC-301i	two PCM-400	PC-1001i or PC-1001
13 Zone	PC-401 or PC-301i	three PCM-400	PC-1301i or PC-1301
16 Zone	PC-401 or PC-301i	one PCM-400 & one PCM-900	PC-1601i or PC-1601



Notes: Controllers are sold in carton quantities only. Spanish, French, Italian, Portuguese, and German customization kits for Pro-C and Pro-C Conventional available.

I-Core®: Commercial Controllers



Model	List Price \$	Description	Carton Qty.
IC-601-PL	430.00	6-station base international model with outdoor plastic cabinet, expands up to 30 stations with ICM-600s	1
IC-600-M	860.00	6-station base model with metal cabinet, expands up to 42 stations with ICM-600s	1
IC-600-SS	1,750.00	6-station base model with stainless steel cabinet, expands up to 42 stations with ICM-600s	1
IC-600-PP	3,500.00	6-station base model with plastic pedestal, expands up to 42 stations with ICM-600s. Also available in tan color, add -TAN when ordering	1
ICM-600	110.00	6-station module, for adding stations to base controller	1
ACC-PED	650.00	Metal wall mount for use with I-Core and ACC controllers	1
PED-SS	1,175.00	Stainless steel pedestal for use with stainless I-Core and ACC controllers	1
HFS	295.00	Hunter Flow-Sync sensor for use with any I-Core and ACC controllers (use FCT sensor tee fittings for installation in lines from 25 mm to 100 mm, see page 37)	1

DUAL®: Decoder System for I-Core Controllers




Model	List Price \$	Description	Carton Qty.
DUAL48M	440.00	48-station decoder output module for I-Core controller	1
DUAL-1	115.00	1-station decoder for use with I-Core DUAL controller	1
DUAL-2	198.00	2-station decoder for use with I-Core DUAL controller	1
DUAL-S	90.00	Surge Suppression module for use with I-Core DUAL controller	1

See page 32 for Decoder Cables


See page 23 for Waterproof Connections

ACC: Advanced Commercial Controller with Real Time Flow Sensing Capability



Model	List Price \$	Description	Carton Qty.
ACC-1200	1,370.00	12-station base model with outdoor metal cabinet, expands up to 42 stations with ACM- or AGM-600s	1
ACC-1200-SS	2,400.00	12-station base model with stainless steel metal cabinet, expands up to 42 stations	1
ACC-1200-PP	3,700.00	12-station base model in an outdoor plastic pedestal, expands up to 42 stations with ACM- or AGM-600s. Also available in tan color, add -TAN when ordering.	1
ACM-600	415.00	6-station module to add stations to any ACC	1
AGM-600	445.00	6-station module with heavy duty surge protection	1
ACC-PED	650.00	Metal pedestal for use with ACC controllers	1
PED-SS	1,175.00	Stainless steel pedestal for use with stainless I-Core and ACC controllers	1
HFS	295.00	Hunter Flow-Sync sensor for use with any ACC and I-Core controllers (use with FCT sensor tee fittings for installation in lines from 25 mm to 100 mm, see page 37)	1

ACC: Communications Components & Accessories




Model	List Price \$	Description	Carton Qty.
ACC-COM-HWR	620.00	Communications module for radio and/or hardwire only (requires ACC-HWIM and/or radio module)	1
ACC-COM-LAN	1,035.00	Communications module for Ethernet, also supports on-site radio and/or hardwire with ACC-HWIM and/or radio module	1
ACC-COM-GPRS-E	1,950.00	Communications module for GPRS cellular, also supports on-site radio and/or hardwire with ACC-HWIM and/or radio module (not available in all countries, consult Hunter Sales Manager)	1
ACC-HWIM	240.00	Hardwire interface module, required for hardwire connections	1
GCBL100	205.00	30 m (100') GCBL cable for hardwired communications	1
GCBL300	570.00	90 m (300') GCBL cable for hardwired communications	1
GCBL500	900.00	150 m (500') GCBL cable for hardwired communications	1
RAD3	1,760.00	UHF radio, 450-470 MHz range, for on-site radio communications, may not be available in all countries, license required. See also RAD460INT, next page.	1

ACC: Communications Components & Accessories (continued)

Model	List Price \$	Description	Carton Qty.
RAD460INT	1,800.00	UHF radio, 440-480 MHz range, for international ACC communications (not for use in North America)	1
RAD430INT	550.00	UHF Radio, 400-440 MHz, for international ACC communications	1
RAD150INT	1,760.00	VHF radio, 146-174 MHz, for international ACC communications	1
IMMSANT2	550.00	UHF radio antenna for plastic pedestal lid (450-470 MHz)	1
IMMSANT3	475.00	UHF radio antenna. wall mount, general purpose (450-470 MHz)	1
IMMSANTYAGI3	525.00	UHF radio antenna, directional (450-470 MHz)	1
APPBRKT	135.00	Communications module bracket for plastic pedestal (not required for wall mount controllers)	1

ACC Decoder: Advanced Commercial Controller 2-Wire Decoder Version



Model	List Price \$	Description	Carton Qty.
ACC-99D	2,340.00	ACC decoder controller, 99 station capacity, grey powder-coated metal wall mount	1
ACC-99D-SS	2,860.00	ACC decoder controller, 99 station capacity, stainless steel wall mount	1
ACC-99D-PP	4,680.00	ACC decoder controller, 99 station capacity, plastic pedestal Also available in tan color, add -TAN when ordering	1
ACC-PED	650.00	Metal pedestal for use with ACC controllers	1
PED-SS	1175.00	Stainless steel pedestal for use with stainless I-Core and ACC controllers	1
ICD-100	125.00	1-station decoder for use with any ACC decoder controller, includes 2 waterproof connectors	1
ICD-200	225.00	2-station decoder for use with any ACC decoder controller, includes 2 waterproof connectors	1
ICD-400	260.00	4-station decoder for use with any ACC decoder controller, includes 2 waterproof connectors	1
ICD-600	430.00	6-station decoder for use with any ACC decoder controller, includes 2 waterproof connectors	1
ICD-SEN	580.00	Sensor decoder for use with any ACC decoder controller, includes 2 waterproof connectors	1
ADM-99	1,180.00	ACC decoder module only	1

See page 23 for Waterproof Connections

ICD-HP: Handheld Decoder Programmer for ICD Decoders



Model	List Price \$	Description	Carton Qty.
ICD-HP	1,190.00	Handheld decoder programmer for ICD decoders	1

Decoder Cables


Model	List Price \$	Description	Carton Qty.
760 m Spools			Standard Decoder Cables
ID1GRY	Call	Jacketed decoder cable, grey, 2 mm ²	1
ID1PUR	Call	Jacketed decoder cable, purple, 2 mm ²	1
ID1YLW	Call	Jacketed decoder cable, yellow, 2 mm ²	1
ID1ORG	Call	Jacketed decoder cable, orange, 2 mm ²	1
ID1BLU	Call	Jacketed decoder cable, blue, 2 mm ²	1
ID1TAN	Call	Jacketed decoder cable, tan, 2 mm ²	1
Long Range, Heavy Duty Decoder Cables			
ID2GRY	Call	Jacketed decoder cable, grey, 3.3 mm ²	1
ID2PUR	Call	Jacketed decoder cable, purple, 3.3 mm ²	1
ID2YLW	Call	Jacketed decoder cable, yellow, 3.3 mm ²	1
ID2ORG	Call	Jacketed decoder cable, orange, 3.3 mm ²	1
ID2BLU	Call	Jacketed decoder cable, blue, 3.3 mm ²	1
ID2TAN	Call	Jacketed decoder cable, tan, 3.3 mm ²	1
305 m Spools			Standard Decoder Cables
ID1GRYFT	Call	Jacketed decoder cable, grey, 2 mm ²	1
ID1PURFT	Call	Jacketed decoder cable, purple, 2 mm ²	1
ID1YLWFT	Call	Jacketed decoder cable, yellow, 2 mm ²	1
ID1ORGFT	Call	Jacketed decoder cable, orange, 2 mm ²	1
ID1BLUFT	Call	Jacketed decoder cable, blue, 2 mm ²	1
ID1TANFT	Call	Jacketed decoder cable, tan, 2 mm ²	1
Long Range, Heavy Duty Decoder Cables			
ID2GRYFT	Call	Jacketed decoder cable, grey, 3.3 mm ²	1
ID2PURFT	Call	Jacketed decoder cable, purple, 3.3 mm ²	1
ID2YLWFT	Call	Jacketed decoder cable, yellow, 3.3 mm ²	1
ID2ORGFT	Call	Jacketed decoder cable, orange, 3.3 mm ²	1
ID2BLUFT	Call	Jacketed decoder cable, blue, 3.3 mm ²	1
ID2TANFT	Call	Jacketed decoder cable, tan, 3.3 mm ²	1

NODE: Battery Operated Controller



Model	List Price \$	Description	Carton Qty.
NODE-100	125.00	Single-station battery controller with solenoid	1
NODE-100-LS	104.00	Single-station battery controller. No solenoid	1
NODE-100-Valve-B	137.00	Node-100 installed on PGV-101-GB	10
NODE-200	165.00	2-station battery controller. No solenoid	1
NODE-400	195.00	4-station battery controller. No solenoid	1
NODE-600	225.00	6-station battery controller. No solenoid	1
SPNODE	180.00	Solar Panel Kit for Node Controllers	1
458200	20.00	DC latching solenoid for all Hunter valves	1

**Wireless Valve System:
Multi-Station Battery Operated Controller and Programmer**




Model	List Price \$	Description	Carton Qty.
WVP	390.00	Wireless Valve System handheld radio programmer	1
WVC-100	255.00	Wireless Valve System single-station controller module, solenoid not included	1
WVC-200	300.00	Wireless Valve System two-station controller module, solenoids not included	1
WVC-400	340.00	Wireless Valve System four-station controller module, solenoids not included	1

Notes: Wireless Valve Systems suitable for **North America, Australia and other markets**. Operates on **900 MHz** ISM Band. Please check for local regulatory approvals.

Model	List Price \$	Description	Carton Qty.
WVP-E	375.00	Wireless Valve System handheld radio programmer, Wireless System (868 MHz)	1
WVC-100-E	245.00	Wireless Valve System single-station controller module, solenoid not included (868 MHz)	1
WVC-200-E	290.00	Wireless Valve System two-station controller module, solenoid not included (868 MHz)	1
WVC-400-E	325.00	Wireless Valve System four-station controller module, solenoid not included (868 MHz)	1
458200	20.00	DC latching solenoid for all Hunter plastic valves	1

Notes: Wireless Valve "-E" Systems suitable for most **European** countries, not available in some areas due to local regulatory authority approvals for **868 MHz**. Please check for local regulatory approvals.

ROAM XL: Remote Control System



Model	List Price \$	Description	Carton Qty.
ROAMXL-KIT	900.00	Complete Remote Kit: transmitter, receiver, harness and carrying case works with all X-Core, Pro-C, I-Core, and ACC controllers	1
ROAMXL-R	465.00	ROAM XL Remote receiver only	1
ROAMXL-TR	620.00	ROAM XL Remote transmitter only	1
ROAM-SCWH	21.00	Wiring harness, 7.6 m (25') shielded cable	1
ROAM-WH	10.00	Wiring harness, 1.8 m (6')	1

Notes: System Operating Frequency: 27 MHZ. Please check for local regulatory approvals.

ROAM: Residential Remote Control System



Model	List Price \$	Description	Carton Qty.
ROAM-KIT	285.00	Complete Kit: transmitter, receiver and wiring harness compatible with all X-Core, Pro-C, I-Core, and ACC controllers	1
ROAM-TR	165.00	Handheld transmitter only	1
ROAM-R	145.00	Receiver unit only	1
ROAM-SCWH	21.00	Wiring harness, 7.6 m (25') shielded cable	1
ROAM-WH	10.00	Wiring harness, 1.8 m (6')	1



Notes: System Operating Frequency: 433.925 MHZ. Please check for local regulatory approvals.

PSR: Pump Start Relay



Model	List Price \$	Description	Carton Qty.
PSR-22	95.00	Double pole/single throw pump start relay for 120 VAC pumps up to 2 hp or 230 VAC pumps up to 2 kW	10
PSR-52	140.00	Double pole/single throw pump start relay for 120 VAC pumps up to 3 hp or 230 VAC pumps up to 2.2 kW	10
PSR-53	255.00	Triple pole/single throw pump start relay for 120 VAC pumps up to 3 hp, 230 VAC pumps up to 2.2 kW, or 230 VAC 7.5 kW (three phase)	10
PSR-B	300.00	Used to boost controller output power available to operate larger pump start relays if required	8


Irrigation Management and Monitoring System®: Central Control



Model	List Price \$	Description	Carton Qty.
IMMS4-CD	5,000.00	IMMS Central Control Software with Graphics for Microsoft® Windows® XP or later operating systems	1
IMMS-ET-CD	1,085.00	ET software add-on for IMMS (requires base version IMMS also)	1
ETSENSOR	335.00	ET Sensor only, for use with ACC in IMMS-ET Systems	1
ET-WIND	545.00	Optional anemometer for use with the ET Sensor	1
IMMS-CCC-E	625.00	IMMS hardwired central communications unit, Euro	1
IMMS-CCC-A	625.00	IMMS hardwired central communications unit, Australian	1


See page 30 for Communications Accessories

Mini-Click®: Rain Sensors




Model	List Price \$	Description	Carton Qty.
MINI-CLIK	36.00	Adjusts for rainfall of 3 mm (0.1') to 25 mm (1.0'), includes 7.6 m (25') wire, aluminum mount	24
MINI-CLIK-NO	43.00	Adjusts for rainfall 3 mm (0.1') to 25 mm (1.0'), includes 7.6 m (25') wire	12
MINI-CLIK-C	41.00	Adjusts for rainfall of 3 mm (0.1') to 25 mm (1.0'), includes 7.6 m (25') wire	12
MINI-CLIK-HV	78.00	Adjusts for rainfall of 3 mm (0.1') to 25 mm (1.0'), for 120/230 VAC wiring applications	1
SGM	4.00	Sensor gutter mount (for use with Mini-Click, Rain-Click, and wireless Rain-Click sensors)	1

Rain-Click®: Rain Sensors



Model	List Price \$	Description	Carton Qty.
RAIN-CLIK	36.00	Rain sensor with Quick Response™ system and multiple mounting options	24
RAIN-CLIK-NO	42.00	Rain Sensor with Quick Response system and multiple mounting options, normally open switch	24
RFC	67.00	Rain and Freeze sensor in one unit	24
SGM	4.00	Sensor gutter mount (for use with Mini-Click, Rain-Click, and wireless Rain-Click sensors)	1


Wireless Rain-Click: Rain Sensors



Model	List Price \$	Description	Carton Qty.
WR-CLIK	110.00	Wireless Rain Sensor Combo (includes receiver and transmitter)	12
WR-CLIK-R	98.00	Wireless Rain-Click receiver	20
WR-CLIK-TR	70.00	Wireless Rain-Click transmitter	20
WRF-CLIK	125.00	Wireless Rain/Freeze Sensor Combo (includes receiver and transmitter)	12
WRF-CLIK-TR	93.00	Wireless Rain/Freeze transmitter	20


Notes: Wireless Rain-Click not available in some areas due to local regulatory authority approvals of 433 MHz band.

Freeze-Click®: Freeze Sensors




Model	List Price \$	Description	Carton Qty.
FREEZE-CLIK	54.00	3° C (37° F) setpoint, 7.6 m (25') wire, screws, 24 VAC, 6 amp	12
FREEZE-CLIK-REV	60.00	Reverse switching, 3° C (37° F) setpoint, 7.6 m (25') wire, screws, 24 VAC, 6 amp	1

Soil-Clik




Model	List Price \$	Description	Carton Qty.
SOIL-CLIK	149.00	Soil-Clik Module and Sensor Probe	12

Wind-Clik®




Model	List Price \$	Description	Carton Qty.
WIND-CLIK	165.00	Adjustable wind control 19-56 kph (12-35 mph) shut down, 24 VAC, 5 amp	1

Mini-Weather Station



Model	List Price \$	Description	Carton Qty.
MWS	255.00	Weather Station combines wind and rain sensors	1
MWS-FR	295.00	Weather Station incorporates rain, wind and freeze sensors	1

Flow Sensors



Model	List Price \$	Description	Carton Qty.
FLOW-CLIK	355.00	Flow-Clik® System includes sensor and interface box, works with all standard 24 volt controllers (excludes sensor body - order separately)	1
HFS	295.00	Hunter Flow-Sync flow meter for Hunter flow-learning controllers	1


Flow Sensor bodies for use with Flow-Clik and Flow-Sync® flow sensor (for ACC and I-Core)

FCT-100	72.00	25 mm (1") schedule 40 sensor body, slip x slip	1
FCT-150	88.00	40 mm (1½") schedule 40 sensor body, slip x slip	1
FCT-158	110.00	40 mm (1½") schedule 80 sensor body, slip x slip	1
FCT-200	110.00	50 mm (2") schedule 40 sensor body, slip x slip	1
FCT-208	130.00	50 mm (2") schedule 80 sensor body, slip x slip	1
FCT-300	140.00	75 mm (3") schedule 40 sensor body, slip x slip	1
FCT-308	155.00	75 mm (3") schedule 80 sensor body, slip x slip	1
FCT-400	185.00	100 mm (4") schedule 40 sensor body, slip x slip	1

BSP/Slip Adapters for Flow Sensors

Model	List Price \$	Description	Carton Qty.
795700	4.50	25mm Glue to BSP adaptor	1
795800	7.50	40mm Glue to BSP adaptor	1
241400	9.50	50mm Glue to BSP adaptor	1
477800	9.50	75mm Glue to BSP adaptor	1


Solar Sync®



Model	List Price \$	Description	Carton Qty.
SOLARSYNC	140.00	Solar Sync kit for use with Pro-C 300 controllers. <i>Includes Solar Sync Sensor and module.</i>	12
SOLARSYNCSEN	115.00	Wired Solar Sync for use with ACC, I-Core®, new Pro-C® 400/PCC Series, and X-Core® controllers. <i>Includes Solar Sync Sensor only.</i>	20
WSS	245.00	Wireless Solar Sync for use with Pro-C 300 controllers. <i>Includes Wireless Solar Sync Sensor, Wireless receiver, and module.</i>	10
WSSSEN	215.00	Wireless Solar Sync for use with ACC, I-Core, new Pro-C 400/PCC Series, and X-Core controllers. <i>Includes wireless Solar Sync Sensor and wireless receiver.</i>	10
WSSR	110.00	Wireless Solar Sync Receiver	10
WSSTR	165.00	Wireless Solar Sync Transmitter/Sensor	10


Notes: *Adds Weather-Based Control to Hunter X-Core®, Pro-C®, ICC, I-Core® and ACC Controllers

Sensor Accessories



Model	List Price \$	Description	Carton Qty.
SG-MC	365.00	Sensor guard enclosure with Mini-Clik® conduit rain sensor, stainless steel construction, automatically responds to local weather changes	1
BPSW	35.00	Bypass switch box with no-strip wire connectors and double-backed tape for mounting	12
EXT	21.00	Extension bracket adds 18 cm to standard rain or freeze sensor bracket	1
REL2	40.00	Heavy duty sensor switching relay, 2-pole relay, double throw	1
REL3	45.00	Heavy duty sensor switching relay, 3-pole relay, double throw	1
SGM	4.00	Sensor gutter mount (for use with Mini-Clik, Rain-Clik, and wireless Rain-Clik sensors)	1


Eco-Mat®



Subsurface Irrigation Mat

Model	List Price \$	Description	Bag/Carton Qty.
ECO-MAT16	1,830.00	Subsurface Drip Mat, 0.80 m wide 100 m long, 16 mm tubing, 80 m ²	1
ECO-MAT17	1,985.00	Subsurface Drip Mat, 0.80 m wide 90 m long, 17 mm tubing, 80 m ²	1


Eco Wrap



Wrapped PLD Tubing for Subsurface Applications

Model	List Price \$	Description	Bag/Carton Qty.
ECO-WRAP16	440.00	Enhanced Subsurface PLD, 100 m roll, wrapped 16 mm tubing	1
ECO-WRAP17	420.00	Enhanced Subsurface PLD, 76 m roll, wrapped 17 mm tubing	1

PLD: 16 mm Professional Landscape Dripline



PLD: Professional Landscape Dripline

Model	List Price \$	Description	Carton Qty.
PLD2230100	105.00	30 cm spacing @ 2.2 l/hr, 100 meter coil	1
PLD2230200	210.00	30 cm spacing @ 2.2 l/hr, 200 meter coil	1
PLD2230400	419.00	30 cm spacing @ 2.2 l/hr, 400 meter coil	1
PLD2250100	77.00	50 cm spacing @ 2.2 l/hr, 100 meter coil	1
PLD2250200	154.00	50 cm spacing @ 2.2 l/hr, 200 meter coil	1
PLD2250400	308.00	50 cm spacing @ 2.2 l/hr, 400 meter coil	1
PLD3830100	105.00	30 cm spacing @ 4 l/hr, 100 meter coil	1
PLD3830200	210.00	30 cm spacing @ 4 l/hr, 200 meter coil	1
PLD3830400	419.00	30 cm spacing @ 4 l/hr, 400 meter coil	1
PLD3850100	77.00	50 cm spacing @ 4 l/hr, 100 meter coil	1
PLD3850200	154.00	50 cm spacing @ 4 l/hr, 200 meter coil	1
PLD3850400	308.00	50 cm spacing @ 4 l/hr, 400 meter coil	1

Notes: Regional specifications and pricing may vary. Please call.

PLD: 16 mm Insert Barb Fittings

Insert Fittings

Model	List Price \$	Description	Bag/Carton Qty.
PLD05016	0.20	Barb x 13 mm Male Thread	100/3000
PLDCPL16	0.11	Barb x Barb Coupling	100/4000
PLDEL16	0.20	Barb x Barb 90 Elbow	100/3000
PLDTEE16	0.23	Barb x Barb Tee	100/2000
PLDBV16	0.88	Barb x Barb Ball Valve	50/500
PLDAVR	11.25	½" male threaded air and vacuum relief valve	10/100

PLD-AVR



PLD05016

PLDCPL16




PLDEL16



PLDTEE16

PLDBV16

PLD: 17 mm Professional Landscape Dripline




PLD: Professional Landscape Dripline

Model	List Price \$	Description	Carton Qty.
PLDBLNK100	36.00	30 m (100') blank roll (no emitters)	1
PLDBLNK250	73.00	76 m (250') blank roll (no emitters)	1
PLDBLNK1K	295.00	305 m (1000') blank roll (no emitters)	1
PLD0612100	57.00	30.5 cm (12") spacing @ 2.3 l/hr (0.6 GPH), 30 m (100') roll	1
PLD1012100	57.00	30.5 cm (12") spacing @ 4 l/hr (1.0 GPH), 30 m (100') roll	1
PLD0412250	130.00	30.5 cm (12") spacing @ 1.35 l/hr (0.4 GPH), 76 m (250') roll	1
PLD0612250	130.00	30.5 cm (12") spacing @ 2.3 l/hr (0.6 GPH), 76 m (250') roll	1
PLD1012250	130.00	30.5 cm (12") spacing @ 4 l/hr (1.0 GPH), 76 m (250') roll	1
PLD04121K	520.00	30.5 cm (12") spacing @ 1.35 l/hr (0.4 GPH), 305 m (1000') roll	1
PLD06121K	520.00	30.5 cm (12") spacing @ 2.3 l/hr (0.6 GPH), 305 m (1000') roll	1
PLD10121K	520.00	30.5 cm (12") spacing @ 4 l/hr (1.0 GPH), 305 m (1000') roll	1
PLD1018100	50.00	45 cm (18") spacing @ 4 l/hr (1.0 GPH), 30 m (100') roll	1
PLD0418250	115.00	45 cm (18") spacing @ 1.35 l/hr (0.4 GPH), 76 m (250') roll	1
PLD0618250	115.00	45 cm (18") spacing @ 2.3 l/hr (0.6 GPH), 76 m (250') roll	1
PLD1018250	115.00	45 cm (18") spacing @ 4 l/hr (1.0 GPH), 76 m (250') roll	1
PLD04181K	455.00	45 cm (18") spacing @ 1.35 l/hr (0.4 GPH), 305 m (1000') roll	1
PLD06181K	455.00	45 cm (18") spacing @ 2.3 l/hr (0.6 GPH), 305 m (1000') roll	1
PLD10181K	455.00	45 cm (18") spacing @ 4 l/hr (1.0 GPH), 305 m (1000') roll	1
PLD0424250	99.00	61 cm (24") spacing @ 1.35 l/hr (0.4 GPH), 76 m (250') roll	1
PLD0624250	99.00	61 cm (24") spacing @ 2.3 l/hr (0.6 GPH), 76 m (250') roll	1
PLD1024250	99.00	61 cm (24") spacing @ 4 l/hr (1.0 GPH), 76 m (250') roll	1
PLD04241K	400.00	61 cm (24") spacing @ 1.35 l/hr (0.4 GPH), 305 m (1000') roll	1
PLD06241K	400.00	61 cm (24") spacing @ 2.3 l/hr (0.6 GPH), 305 m (1000') roll	1
PLD10241K	400.00	61 cm (24") spacing @ 4 l/hr (1.0 GPH), 305 m (1000') roll	1

Notes: Regional specifications and pricing may vary. Please call.

PLD: 17 mm Professional Landscape Dripline




PLD: Professional Landscape Dripline (Purple) - Reclaimed Water

Model	List Price \$	Description	Bag/Carton Qty.
PLDBLNK250R	73.00	76 m (250') blank roll (no emitters), reclaimed	1
PLDBLNK1KR	310.00	305 m (1000') blank roll (no emitters), reclaimed	1
PLD0612250R	135.00	30.5 cm (12") spacing @ 2.3 l/hr (0.6 GPH), 76 m (250') roll, reclaimed	1
PLD1012250R	135.00	30.5 cm (12") spacing @ 4 l/hr (1.0 GPH), 76 m (250') roll, reclaimed	1
PLD06121KR	550.00	30.5 cm (12") spacing @ 2.3 l/hr (0.6 GPH), 305 m (1000') roll, reclaimed	1
PLD10121KR	550.00	30.5 cm (12") spacing @ 4 l/hr (1.0 GPH), 305 m (1000') roll, reclaimed	1
PLD0618250R	120.00	45 cm (18") spacing @ 2.3 l/hr (0.6 GPH), 76 m (250') roll, reclaimed	1
PLD1018250R	120.00	45 cm (18") spacing @ 4 l/hr (1.0 GPH), 76 m (250') roll, reclaimed	1
PLD06181KR	475.00	45 cm (18") spacing @ 2.3 l/hr (0.6 GPH), 305 m (1000') roll, reclaimed	1
PLD10181KR	475.00	45 cm (18") spacing @ 4 l/hr (1.0 GPH), 305 m (1000') roll, reclaimed	1
PLD0624250R	105.00	61 cm (24") spacing @ 2.3 l/hr (0.6 GPH), 76 m (250') roll, reclaimed	1
PLD1024250R	105.00	61 cm (24") spacing @ 4 l/hr (1.0 GPH), 76 m (250') roll, reclaimed	1
PLD06241KR	420.00	61 cm (24") spacing @ 2.3 l/hr (0.6 GPH), 305 m (1000') roll, reclaimed	1
PLD10241KR	420.00	61 cm (24") spacing @ 4 l/hr (1.0 GPH), 305 m (1000') roll, reclaimed	1


PLD: 17 mm Insert Fittings

Insert Fittings			
Model	List Price \$	Description	Carton Qty.
PLD050	0.81	Barb to ½" NPT adapter	25
PLD075	0.81	Barb to ¾" NPT adapter	25
PLDCPL	0.38	Barb to barb coupling	25
PLDELB	0.43	Barb to barb, 90° elbow	25
PLDTEE	0.54	Barb to barb, tee	25
PLD075TBTEE	1.30	¾" to barb tee	25
PLDCAP	1.65	Barb to end cap	5
PLDBV	2.75	Barbed valve	5
PLDAVR	12.00	½" male threaded air and vacuum relief valve	10

Notes: Regional specifications and pricing may vary. Please call.




Point Source Drip Emitters




Self-Piercing Barb

Model	List Price \$	Description	Bag/Carton Qty.
HE-050-B-25	0.52	2 l/hr Emitter	25/500
HE-050-B-100	0.52	2 l/hr Emitter	100/1,000
HE-10-B-25	0.52	4 l/hr Emitter	25/500
HE-10-B-100	0.52	4 l/hr Emitter	100/1,000
HE-20-B-25	0.52	8 l/hr Emitter	25/500
HE-20-B-100	0.52	8 l/hr Emitter	100/1,000
HE-40-B-25	0.52	15 l/hr Emitter	25/500
HE-40-B-100	0.52	15 l/hr Emitter	100/1,000
HE-60-B-25	0.52	23 l/hr Emitter	25/500
HE-60-B-100	0.52	23 l/hr Emitter	100/1,000



10/32 Thread

Model	List Price \$	Description	Bag/Carton Qty.
HE-050-T-25	0.52	2 l/hr Emitter	25/500
HE-10-T-25	0.52	4 l/hr Emitter	25/500
HE-20-T-25	0.52	8 l/hr Emitter	25/500
HE-40-T-25	0.52	15 l/hr Emitter	25/500
HE-60-T-25	0.52	23 l/hr Emitter	25/500



1/2" FPT

Model	List Price \$	Description	Bag/Carton Qty.
HEB-05	2.45	2 l/h Emitter Bubbler	25/250
HEB-10	2.45	4 l/hr Emitter Bubbler	25/250
HEB-20	2.45	8 l/hr Emitter Bubbler	25/250
HEB-40	2.45	l/h Emitter Bubbler	25/250
HEB-60	2.45	2.45, 23 l/h Emitter Bubbler	25/250



Diffuser Cap

Model	List Price \$	Description	Bag/Carton Qty.
HE-DIFF	0.16	Emitter Diffuser Cap	50/1,000

Micro-Sprays & Stream Drippers




Solo-Drip

Model	List Price \$	Description	Carton Qty.
SD-T	1.15	10-32 thread, 360°	100
SD-B	1.15	Barb, 360°	100
SD-B-STK	1.55	Barb with stake, 360°	10



Halo-Spray


Model	List Price \$	Description	Carton Qty.
HS-T	1.15	10-32 thread, 360°	100
HS-B	1.15	Barb, 360°	100
HS-B-STK	1.55	Barb with stake, 360°	10



Trio-Spray

Model	List Price \$	Description	Carton Qty.
TS-T-F	2.15	10-32 thread, 360°	50
TS-T-H	2.15	10-32 thread, 180°	50
TS-T-Q	2.15	10-32 thread, 90°	50

Drip Control Zone Kit: Ships assembled for immediate installation.




PCZ-101

Model	List Price \$	Description	Carton Qty.
PCZ-101-25-B	75.00	1" BSP Inlet Drip Zone Control Kit with PGV flow control valve 1.7 bar (25 PSI) regulator, 3/4" outlet	1
PCZ-101-40-B	75.00	1" BSP Inlet Drip Zone Control Kit with PGV flow control valve 2.8 bar (40 PSI) regulator, 3/4" outlet	1
269205	2.00	Reclaimed water ID handle for PGV101 Series	1
HY-075	20.75	3/4" NPT WYE filter with 150 mesh stainless steel screen	1
HFR-075-25	40.00	Pressure regulating filter, 3/4" inlet and outlet, 25 PSI regulation	1
HFR-075-40	40.00	Pressure regulating filter, 3/4" inlet and outlet, 40 PSI regulation	1




HFR-075

Waterproof Connections



Model	List Price \$	Description	Qty.
DBRY-100	245.00	Direct burial waterproof connectors, DBRY-6 UL listed up to 600V, 100 pieces bulk-packed	1
DBRY2X25	145.00	Direct burial waterproof connectors, DBRY-6 UL listed up to 600V, 25 x 2 packs	1

Root Zone Watering System



RZWS, Tree and Shrub Subsurface Watering System with ½" swing joint


Model	List Price \$	Description	Carton Qty.
RZWS-10 *	16.00	Basic 25 cm (10") Root Zone Watering System, including StrataRoot™ System and cap ready to accept customer-provided irrigation hardware; bubbler, swing joint and check valve not included	20
RZWS-10-25 *	20.00	RZWS-10 with a factory installed 0.90 l/min (0.25 GPM) bubbler (PCB25)	20
RZWS-10-25-CV *	31.00	RZWS-10-25 with a factory installed Hunter check valve (HCV)	20
RZWS-10-50 *	20.00	RZWS-10 with a factory installed 1.90 l/min (0.50 GPM) bubbler (PCB50)	20
RZWS-10-50-CV *	31.00	RZWS-10-50 with a factory installed Hunter check valve (HCV)	20
RZWS-18 *	31.00	Basic 45 cm (18") Root Zone Watering System, including StrataRoot System and cap ready to accept customer-provided irrigation hardware; bubbler, swing joint and check valve not included	12
RZWS-18-25 *	39.00	RZWS-18 with a factory installed 0.90 l/min (0.25 GPM) bubbler (PCB25)	12
RZWS-18-50 *	39.00	RZWS-18 with a factory installed 1.90 l/min (0.50 GPM) bubbler (PCB50)	12
RZWS-18-25-CV *	50.00	RZWS-18-25 with a factory installed Hunter check valve (HCV)	12
RZWS-18-50-CV *	50.00	RZWS-18-50 with a factory installed Hunter check valve (HCV)	12
RZWS-36 *	36.00	Basic 90 cm (36") Root Zone Watering System, including StrataRoot System and cap ready to accept customer-provided irrigation hardware; bubbler, swing joint and check valve not included	6
RZWS-36-25 *	47.00	RZWS-36 with a factory installed 0.90 l/min (0.25 GPM) bubbler (PCB25)	6
RZWS-36-50 *	47.00	RZWS-36 with a factory installed 1.90 l/min (0.50 GPM) bubbler (PCB50)	6
RZWS-36-25-CV *	56.00	RZWS-36-25 with a factory installed Hunter check valve (HCV)	6
RZWS-36-50-CV *	56.00	RZWS-36-50 with a factory installed Hunter check valve (HCV)	6

Notes: *Available with reclaimed purple cap. Add "-R" to the Model.

RZWS Accessories

Model	List Price \$	Description	Carton Qty.
RZWS-CAP	4.15	Replacement cap, all RZWS-18 and RZWS-36	1
RZWS-RCCAP	4.15	Purple reclaimed cap, all RZWS-18 and RZWS-36	1
RZWS-10RCC	5.20	Purple reclaimed cap for all RZWS-10 models	1
RZWS-SLEEVE	4.15	Field-installed sleeve made from landscape filter fabric for sandy soils	1

SJ: Threaded Swing Joint




SJ: Swing Joint, Pre-assembled Leak-free Design with 4 Swing Elbows

Model	List Price \$	Description	Carton Qty.
SJ-506	2.50	½" x 15 cm (6") standard swing joint, 4 swing elbows	150
SJ-7506	2.70	¾" x ½" x 15 cm (6") swing joint, 4 swing elbows	200
SJ-706	2.75	¾" x 15 cm (6") standard swing joint, 4 swing elbows	150
SJ-512	3.00	½" x 30 cm (12") standard swing joint, 4 swing elbows	100
SJ-7512	3.00	¾" x ½" x 30 cm (12") standard swing joint, 4 swing elbows	100
SJ-712	3.00	¾" x 30 cm (12") standard swing joint, 4 swing elbows	100

Notes: Swing Joints are sold in carton quantities only.

Note: For a full range range of PVC swing joint options, ¾" through 1 ½" see page 58.


Hunter Flexible Tubing - Swing Pipe



Model	List Price \$	Description	Qty.
FLEXsg	41.00	Soft grip, flexible tubing, 30 m (100') coil	75/pallet
FLEXsg-18	0.80	Soft grip, flexible tubing, precut 45 cm (18") segments	200/carton

Notes: Hunter flexible tubing is sold in pallet quantities only.


Hunter Spiral Barb Elbows



Model	List Price \$	Description	Carton Qty.
HSBE-050	0.31	½" male x insert poly barb elbow	50/200
HSBE-075	0.32	¾" male x insert poly barb elbow	50/200
HSBETOOL	7.50	Installation tool	1

Notes: Spiral barb elbows are sold in carton quantities only.

Tools




Model	List Price \$	Description	Carton Qty.
053191	1.20	"T" handle tool, nozzle insertion, lift up, and arc adjustment tool for PGP®, I-20, I-25, I-40, and I-60	1
280100	80.00	Rotor pitot gauge and tube assembly	1
123200	1.00	Nozzle insertion collar	1
460302	45.00	Valve box hand pump	1
POCKET PUNCH	12.00	Emitter tool for punching a pilot hole, inserting, and removing an emitter	25
HEMT	22.00	Emitter tool for punching pilot holes and pellets, inserting and removing an emitter, and cutting tubing	12



GOLF PRODUCTS


B Series: Gear Driven Rotors



G35B/G70B/G75B Standard Stocking Unit Rotors with 1/4" Acme threaded inlet

Model	List Price \$	Description	Carton Qty.
G35B6S	95.00	Full/Part-Circle, Block Check Valve	12
G70B25S	130.00	Full-Circle Opposing Nozzles, Block Check Valve	12
G75B25S	145.00	Full/Part-Circle, Block Check Valve	12


Notes: G35B Standard Stocking Unit rotor above include a #6 factory installed nozzle. G35B Standard Stocking Unit rotors include a nozzle rack with nozzles #2 through #12 and a self-adjusting variable stator. G70B and G75B Standard Stocking Unit rotors above include a #25 factory installed nozzle. G70B and G75B Standard Stocking Unit rotors include a nozzle pack with nozzles #15 through #28 and a manually adjustable stator. Acme inlet threads are standard on all models that start with "G" and swing joints with Acme outlet fittings must be used or, the appropriate Acme Adaptor Fitting found on page 55.



G80B/G84B/G85B Standard Stocking Unit Rotors with 1/4" Acme threaded inlet

Model	List Price \$	Description	Carton Qty.
G80B25S	145.00	Full-Circle Opposing Nozzles, Block Check Valve	6
G80B48S	145.00	Full-Circle Opposing Nozzles, Block Check Valve	6
G84B18S	195.00	Full-Circle, Block Check Valve	6
G84B25S	195.00	Full-Circle, Block Check Valve	6
G84B48S	195.00	Full-Circle, Block Check Valve	6
G85B18S	195.00	Full/Part-Circle, Block Check Valve	6
G85B25S	195.00	Full/Part-Circle, Block Check Valve	6
G85B48S	195.00	Full/Part-Circle, Block Check Valve	6

Notes: G80B Standard Stocking Unit rotors above include a #25 or #48 factory installed nozzle. G80B Standard Stocking Unit rotors include a manually adjustable stator. G84B/G85B Standard Stocking Unit rotors above include a #18, #25 or #48 factory installed nozzle. G84B/G85B Standard Stocking Unit rotors with #18 nozzle include a self-adjusting variable stator. G84B/G85B Standard Stocking Unit rotors with #25 or #48 nozzle include a manually adjustable stator. Acme inlet threads are standard on all models that start with "G" and swing joints with Acme outlet fittings must be used or, the appropriate Acme Adaptor Fitting found on page 55.




G80B/G84B/G85B Non-Standard Stocking Unit Rotors with 1/4" Acme threaded inlet

Model	List Price \$	Description	Carton Qty.
G80Bxx	145.00	Full-Circle Opposing Nozzles, Block Check Valve	6
G84Bxx	195.00	Full-Circle, Block Check Valve	6
G85Bxx	195.00	Full/Part-Circle, Block Check Valve	6

Notes: Insert the "xx" nozzle selection when ordering the above Non-Standard Stocking Unit G80B/G84B/G85B rotors. Acme inlet threads are standard on all models that start with "G" and swing joints with Acme outlet fittings must be used or, the appropriate Acme Adaptor Bushing found on page 55.


TTS 800 Series: Total-Top-Service Gear Driven Rotors



G835 Standard Stocking Unit Rotors with 1/2" Acme threaded inlet

Model	List Price \$	Description	Carton Qty.
G835C6S	310.00	Full/Part-Circle, Check-O-Matic	4
G835E6P5S	345.00	Full/Part-Circle, Electric Valve-In-Head	4

Notes: G835 Standard Stocking Unit rotors above include a #6 factory installed nozzle. G835 Standard Stocking Unit rotors include a nozzle rack with nozzles #2 through #12 and a self-adjusting variable stator. G835E Standard Stocking Unit model rotor above includes a P5 (50 PSI) regulator setting. Acme inlet threads are standard on all models that start with "G" and swing joints with Acme outlet fittings must be used or, the appropriate Acme Adaptor Fitting found on page 55.




G835 Non-Standard Stocking Unit Rotors with 1/2" Acme threaded inlet

Model	List Price \$	Description	Carton Qty.
G835Cxx	310.00	Full/Part-Circle, Check-O-Matic	4
G835ExxPx	345.00	Full/Part-Circle, Electric Valve-In-Head	4

Notes: Insert the "xx" nozzle selection when ordering the above Non-Standard Stocking Unit G835 rotors. Electric models also require the "x" pressure selection. G835 electric rotors have adjustable regulation with P5 (50 psi) and P6 (65 psi) settings. P5 setting is recommended for nozzles #2 through #12 nozzles. P6 setting is recommended for nozzles #10 through #12. Acme inlet threads are standard on all models that start with "G" and swing joints with Acme outlet fittings must be used or, the appropriate Acme Adaptor Bushing found on page 55.


TTS 800 Series: Total-Top-Service Gear Driven Rotors (continued)



G880/G884/G885 Standard Stocking Unit Rotors with 1½" Acme threaded inlet

Model	List Price \$	Description	Carton Qty.
G880C23S	280.00	Full-Circle Opposing Nozzles, Check-O-Matic	4
G880C25S	280.00	Full-Circle Opposing Nozzles, Check-O-Matic	4
G880C48S	280.00	Full-Circle Opposing Nozzles, Check-O-Matic	4
G880E25P6S	305.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head	4
G880E25P8S	305.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head	4
G880E48P8S	305.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head	4
G884C18S	315.00	Full-Circle, Check-O-Matic	4
G884C23S	315.00	Full-Circle, Check-O-Matic	4
G884C25S	315.00	Full-Circle, Check-O-Matic	4
G884C48S	315.00	Full-Circle, Check-O-Matic	4
G884E18P5S	345.00	Full-Circle, Electric Valve-In-Head	4
G884E23P6S	345.00	Full-Circle, Electric Valve-In-Head	4
G884E25P8S	345.00	Full-Circle, Electric Valve-In-Head	4
G884E48P8S	345.00	Full-Circle, Electric Valve-In-Head	4
G885C18S	315.00	Full/Part-Circle, Check-O-Matic	4
G885C23S	315.00	Full/Part-Circle, Check-O-Matic	4
G885C25S	315.00	Full/Part-Circle, Check-O-Matic	4
G885C48S	315.00	Full/Part-Circle, Check-O-Matic	4
G885E18P5S	345.00	Full/Part-Circle, Electric Valve-In-Head	4
G885E23P6S	345.00	Full/Part-Circle, Electric Valve-In-Head	4
G885E25P8S	345.00	Full/Part-Circle, Electric Valve-In-Head	4
G885E48P8S	345.00	Full/Part-Circle, Electric Valve-In-Head	4

Notes: G880 Standard Stocking Unit rotors above include a #23, #25 or #48 factory installed nozzle and a manually adjustable stator. G880E Standard Stocking Unit rotors above include a factory-installed #23 nozzle and a P6 (65 PSI) regulator setting, a #25 nozzle and a P8 (80 PSI) regulator setting or a #48 nozzle and a P8 (80 psi) regulator setting. G884/G885 Standard Stocking Unit rotors above include a #18, #23, #25 or #48 factory installed nozzle. G884/G885 Standard Stock Unit rotors with #18 nozzle include a self-adjusting variable stator. G884/G885 Standard Stock Unit rotors with #23, #25 or #48 nozzle include a manually adjustable stator. G884E/G885E Standard Stocking Unit rotors with a factory-installed #18 nozzle have a P5 (50 psi) regulator setting. G884E/G885E Standard Stocking Unit rotors with a factory-installed #23 nozzle have a P6 (65 psi) regulator setting. G884E/G885E Standard Stocking Unit rotors with a factory-installed #25 or a #48 nozzle have a P8 (80 psi) regulator setting. Acme inlet threads are standard on all models that start with "G" and swing joints with Acme outlet fittings must be used or, the appropriate Acme Adaptor Fitting found on page 55.




G880/G884/G885 Non-Standard Stocking Unit Rotors with 1½" Acme threaded inlet

Model	List Price \$	Description	Carton Qty.
G880Cxx	280.00	Full-Circle Opposing Nozzles, Check-O-Matic	4
G880ExxPx	305.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head	4
G884Cxx	315.00	Full-Circle, Check-O-Matic	4
G884ExxPx	345.00	Full-Circle, Electric Valve-In-Head	4
G885Cxx	315.00	Full/Part-Circle, Check-O-Matic	4
G885ExxPx	345.00	Full/Part-Circle, Electric Valve-In-Head	4

Notes: Insert the "xx" nozzle selection when ordering the above Non-Standard Stocking Unit G880/G884/G885 rotors. Electric models also require the "x" pressure selection. G880/G884/G885 electric rotors have adjustable regulation with P5 (50 psi), P6 (65 psi) and P8 (80 psi) settings. P5 setting is recommended for nozzles #10 through #18 nozzles. P6 setting is recommended for nozzles #18 through #25. P8 setting is recommended for nozzles #25 through #53. Acme inlet threads are standard on all models that start with "G" and swing joints with Acme outlet fittings must be used or, the appropriate Acme Adaptor Bushing found on page 55.


TTS 900 Series: Total-Top-Service Gear Driven Rotors



G990/G995 Standard Stocking Unit Rotors with 1/2" Acme threaded inlet

Model	List Price \$	Description	Carton Qty.
G990C25S	295.00	Full-Circle Opposing Nozzles, Check-O-Matic	4
G990C53S	295.00	Full-Circle Opposing Nozzles, Check-O-Matic	4
G990E25P8S	325.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head	4
G990E53P8S	325.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head	4
G995C25S	330.00	Adjustable Arc Part-Circle, Check-O-Matic	4
G995C53S	330.00	Adjustable Arc Part-Circle, Check-O-Matic	4
G995E25P8S	365.00	Adjustable Arc Part-Circle, Electric Valve-In-Head	4
G995E53P8S	365.00	Adjustable Arc Part-Circle, Electric Valve-In-Head	4

Notes: G990 and G995 Standard Stocking Unit rotors above include a #25 or #53 factory installed nozzle. G990 and G995 Standard Stocking Unit rotors include a manually adjustable stator. G990E and G995E Standard Stocking Unit rotors above include a factory-installed #25 nozzle and a P8 (80 psi) regulator setting or a #53 nozzle and a P8 (80 psi) regulator setting. Acme inlet threads are standard on all models that start with "G" and swing joints with Acme outlet fittings must be used or, the appropriate Acme Adaptor Fitting found on page 55.




G990/G995 Non-Standard Stocking Unit Rotors with 1/2" Acme threaded inlet

Model	List Price \$	Description	Carton Qty.
G990Cxx	295.00	Full-Circle Opposing Nozzles, Check-O-Matic	4
G990ExxPx	325.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head	4
G995Cxx	330.00	Adjustable Arc Part-Circle, Check-O-Matic	4
G995ExxPx	365.00	Adjustable Arc Part-Circle, Electric Valve-In-Head	4

Notes: Insert the "xx" nozzle selection when ordering the above Non-Standard Stocking Unit G990/G995 rotors. Electric models also require the "x" pressure selection. G990/G995 electric rotors have adjustable regulation with P8 (80 psi), P1 (100 PSI) and P2 (120 psi) settings. P8 setting is recommended for nozzles #25 through #53 nozzles. P1 setting is recommended for nozzles #53 through #73. P2 setting is recommended for nozzles #73. Acme inlet threads are standard on all models that start with "G" and swing joints with Acme outlet fittings must be used or, the appropriate Acme Adaptor Bushing found on page 55.


DIH 800 Series: Decoder-In-Head Total-Top-Service Gear Driven Rotors



G835 Standard Stocking Unit DIH Rotors with 1 1/2" Acme threaded inlet

Model	List Price \$	Description	Carton Qty.
G835D6P5S	510.00	Full/Part-Circle, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G835DD6P5S	560.00	Full/Part-Circle, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4


Notes: All DIH TTS rotors includes 2 each of the DBR/Y-6 connectors for in-ground splice connections to the two-wire path. Refer to the TTS 800 Series Pages for more information.



G835 Non-Standard Stocking Unit DIH Rotors with 1 1/2" Acme threaded inlet


Model	List Price \$	Description	Carton Qty.
G835DxxPx	510.00	Full/Part-Circle, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G835DDxxPx	560.00	Full/Part-Circle, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4

Notes: All DIH TTS rotors includes 2 each of the DBR/Y-6 connectors for in-ground splice connections to the two-wire path. Refer to the TTS 800 Series Pages for more information.

DIH 800 Series: Decoder-In-Head Total-Top-Service Gear Driven Rotors (continued)**G880/G884/G885 Standard Stocking Unit DIH Rotors with 1 ½" Acme threaded inlet**

Model	List Price \$	Description	Carton Qty.
G880D23P6S	475.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G880DD23P6S	525.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G880D25P8S	475.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G880DD25P8S	525.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G880D48P8S	475.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G880DD48P8S	525.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G884D18P8S	520.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G884DD18P8S	570.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G884D23P8S	520.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G884DD23P8S	570.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G884D25P8S	520.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G884DD25P8S	570.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G884D48P8S	520.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G884DD48P8S	570.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G885D18P5S	520.00	Full/Part-Circle, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G885DD18P5S	570.00	Full/Part-Circle, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G885D23P6S	520.00	Full/Part-Circle, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G885DD23P6S	570.00	Full/Part-Circle, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G885D25P8S	520.00	Full/Part-Circle, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G885DD25P8S	570.00	Full/Part-Circle, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G885D48P8S	520.00	Full/Part-Circle, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G885DD48P8S	570.00	Full/Part-Circle, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4

Notes: All DIH TTS rotors includes 2 each of the DBR/Y-6 connectors for in-ground splice connections to the two-wire path. Refer to the TTS 800 Series Pages for more information.




G880/G884/G885 Non-Standard Stocking Unit DIH Rotors with 1 1/2" Acme threaded inlet

Model	List Price \$	Description	Carton Qty.
G880DxxPx	475.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G880DDxxPx	525.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G884DxxPx	520.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G884DDxxPx	570.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G885DxxPx	520.00	Full/Part-Circle, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G885DDxxPx	570.00	Full/Part-Circle, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4

Notes: All DIH TTS rotors includes 2 each of the DBR/Y-6 connectors for in-ground splice connections to the two-wire path. Refer to the TTS 800 Series Pages for more information.

DIH 900 Series: Decoder-In-Head Total-Top-Service Gear Driven Rotors


G990/G995 Standard Stocking Unit DIH Rotors with 1 1/2" Acme threaded inlet



Model	List Price \$	Description	Carton Qty.
G990D25P8S	510.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G990DD25P8S	560.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G990D53P8S	510.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G990DD53P8S	560.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G995D25P8S	545.00	Adjustable Arc Part-Circle, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G995DD25P8S	595.00	Adjustable Arc Part-Circle, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G995D53P8S	545.00	Adjustable Arc Part-Circle, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G995DD53P8S	595.00	Adjustable Arc Part-Circle, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4

Notes: All DIH TTS rotors includes 2 each of the DBR/Y-6 connectors for in-ground splice connections to the two-wire path. Refer to the TTS 900 Series Pages for more information.


G990/G995 Non-Standard Stocking Unit DIH Rotors with 1 1/2" Acme threaded inlet



Model	List Price \$	Description	Carton Qty.
G990DxxPx	510.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G990DDxxPx	560.00	Full-Circle Opposing Nozzles, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4
G995DxxPx	545.00	Adjustable Arc Part-Circle, Electric Valve-In-Head, Integrated Pilot-100 Decoder	4
G995DDxxPx	595.00	Adjustable Arc Part-Circle, Electric Valve-In-Head, Integrated Pilot-200 Decoder	4


Notes: All DIH TTS rotors includes 2 each of the DBR/Y-6 connectors for in-ground splice connections to the two-wire path. Refer to the TTS 900 Series Pages for more information.

HSJ Swing Joints




HSJ-0 Swing Joints $\frac{3}{4}$ " Single Top-Out or Triple Top-Out

Model	List Price \$	Description	Carton Qty.
HSJ-0-xx-208	18.00	$\frac{3}{4}$ " Single Top-Out, 8" (20 cm) Lay Arm	10
HSJ-0-xx-212	19.00	$\frac{3}{4}$ " Single Top-Out, 12"(30 cm) Lay Arm	10




HSJ-1 Swing Joints 1" Single Top-Out or Triple Top-Out

Model	List Price \$	Description	Carton Qty.
HSJ-1-xx-212	28.00	1" Single Top-Out, 12" (30 cm) Lay Arm	15
HSJ-1-xx-412	46.00	1" Triple Top-Out, 12" (30 cm) Lay Arm	15
HSJ-1-xx-218	32.00	1" Single Top-Out, 18" (46 cm) Lay Arm	15
HSJ-1-xx-418	49.00	1" Triple Top-Out, 18" (46 cm) Lay Arm	15



HSJ-2 Swing Joints 1 1/4" Single Top-Out or Triple Top-Out

Model	List Price \$	Description	Carton Qty.
HSJ-2-xx-212	40.00	1 1/4" Single Top-Out, 12" (30 cm) Lay Arm	15
HSJ-2-xx-412	60.00	1 1/4" Triple Top-Out, 12" (30 cm) Lay Arm	15
HSJ-2-xx-218	44.00	1 1/4" Single Top-Out, 18" (46 cm) Lay Arm	10
HSJ-2-xx-418	63.00	1 1/4" Triple Top-Out, 18" (46 cm) Lay Arm	10



HSJ-3 Swing Joints 1 1/2" Single Top-Out or Triple Top-Out

Model	List Price \$	Description	Carton Qty.
HSJ-3-xx-212	48.00	1 1/2" Single Top-Out, 12" (30 cm) Lay Arm	15
HSJ-3-xx-412	71.00	1 1/2" Triple Top-Out, 12" (30 cm) Lay Arm	10
HSJ-3-xx-218	51.00	1 1/2" Single Top-Out, 18" (46 cm) Lay Arm	10
HSJ-3-xx-418	74.00	1 1/2" Triple Top-Out, 18" (46 cm) Lay Arm	10


HSJ-SnapLok™ Swing Joints 1" Single Top-Out for Quick Couplers

Model	List Price \$	Description	Carton Qty.
HSJ-1-x-S-212	59.00	1" Single Top-Out, 12" (30 cm) Lay Arm, 1" Brass Male NPT SnapLok Outlet	15
HSJ-1-x-S-218	61.00	1" Single Top-Out, 18" (46 cm) Lay Arm, 1" Brass Male NPT SnapLok Outlet	15
HSJ-1-x-U-212	59.00	1" Single Top-Out, 12" (30 cm) Lay Arm, 1" Brass Male BSP SnapLok Outlet	15
HSJ-1-x-U-218	61.00	1" Single Top-Out, 18" (46 cm) Lay Arm, 1" Brass Male BSP SnapLok Outlet	15

HSJ-B2B Tee Assembly For Back-to-Back Swing Joints and Heads Around Greens


Model	List Price \$	Description	Carton Qty.
HSJ-305-015-M	16.00	1 1/2" Triple ACME Tee with 1 1/2" Male ACME Adaptor	20
HSJ-305-015-3	16.00	1 1/2" Triple ACME Tee with 1 1/2" Male NPT Adaptor	20
HSJ-305-015-6	16.00	1 1/2" Triple ACME Tee with 1 1/2" Male BSP Adaptor	20

Note: "x" in model number indicates the need to insert the preferred number or letter style code of the swing joint's inlet and/or outlet. See Hunter Golf Catalog or the Hunter Golf website for details.



Golf Rotor Acme Adaptor Fittings


Model	List Price \$	Description	Carton Qty.
106831	6.00	Bushing, adaptor, 1" male Acme x 1" female NPT	25
108376	6.00	Bushing, adaptor, 1" male Acme x 1" female BSP	25
109325	8.75	Bushing, adaptor, 1 ¼" male Acme x 1" female NPT	25
105329	8.75	Bushing, adaptor, 1 ¼" male Acme x 1" female BSP	25
474800	8.75	Bushing, adaptor, 1 ¼" male Acme x 1 ¼" female NPT	25
474900	8.75	Bushing, adaptor, 1 ¼" male Acme x 1 ¼" female BSP	25
104153	8.75	Bushing, adaptor, 1 ¼" male Acme x 1 ½" female NPT	25
107262	8.75	Bushing, adaptor, 1 ¼" male Acme x 1 ½" female BSP	25
475400	13.50	Bushing, adaptor, 1 ½" male Acme x 1" female NPT	25
475500	13.50	Bushing, adaptor, 1 ½" male Acme x 1" female BSP	25
475200	13.50	Bushing, adaptor, 1 ½" male Acme x 1 ¼" female NPT	25
475300	13.50	Bushing, adaptor, 1 ½" male Acme x 1 ¼" female BSP	25
475000	9.00	Bushing, adaptor, 1 ½" male Acme x 1 ½" female NPT	25
475100	9.00	Bushing, adaptor, 1 ½" male Acme x 1 ½" female BSP	25
225300	12.50	Bushing, adaptor, 1 ½" male Acme x 1" female Acme	25
225400	12.50	Bushing, adaptor, 1 ½" male Acme x 1 ¼" female Acme	25
225500	12.50	Bushing, adaptor, 1 ¼" male Acme x 1" female Acme	25



SpotShot Hose-End Nozzles


Model	List Price \$	Description	Carton Qty.
160700	48.00	SpotShot adjustable hose-end nozzle, ¾" hose threads	12
160705	48.00	SpotShot adjustable hose-end nozzle, 1" hose threads	12

Retro Riser Kits



Model	List Price \$	Description	Carton Qty.
G70RT	140.00	G70 retro riser kit	12
G75RT	170.00	G75 retro riser kit	12
G80RT	160.00	G80 retro riser kit	12






Rotor Accessories



Model	List Price \$	Description	Carton Qty.
473800	115.00	G990 rubber cover kit (date codes 06/11 & prior only)	1
473900	115.00	G995 rubber cover kit (also G990 date codes 07/11 & after)	1
G90HS100	100.00	Hose adaptor* for G90 and G900 Series rotors	1
G800HS100	100.00	Hose adaptor* for G800 Series rotors	1

Notes: *Hose adaptors include a combination 3/4"/1" hose swivel.


Golf Rotor Tools



Model	List Price \$	Description	Carton Qty.
382800	2.50	Arc adjustment/riser hold-up - G85B and G885	1
803700	25.00	Nozzle removal/installation - G85B and G885 short/mid-range nozzles	1
052510	23.00	Snap ring removal tool	1
470500	90.00	Valve insertion/removal tool - G60 and G70 Series	1
052805	225.00	Valve insertion/removal tool - G90 and G900 Series	1
604000	133.00	Valve insertion/removal tool - G800 Series	1
475600	45.00	Valve insertion/removal pliers - G800 Series	1
053191	1.25	T-handle tool - V.I.H. selector, nozzle insertion, lift up and arc adjustment	1
461720	1.30	Hunter wrench with hex for nozzle insertion and removal - 2 pack	1
280100	80.00	Rotor pitot gauge and tube assembly	1
460302	45.00	Hand pump for extracting water from rotor body	1
475700	495.00	G800 Tool Kit - includes tool box and all items above except for 470500 and 052805	1


Notes: Full discounts apply.

Pilot™ Golf Central Control Systems




Pilot-CC Central Control Software

Model	List Price \$	Description	Carton Qty.
PILOT-CC	28,700.00	Central control software and documentation. Includes computer.	1




Pilot-FI Central Control Field Interface

Model	List Price \$	Description	Carton Qty.
PILOT-FI-HWR	4,200.00	Field interface for wired central control systems.	1
PILOT-FI-UHF	4,400.00	Field interface for UHF radio central control systems. Includes radio module. License specifying frequency required at time of order.	1
PILOT-FI-LF	4,800.00	Field interface for license-free 915 MHz radio central control systems. Includes radio module. Check local radio regulations before ordering.	1




Pilot Controller Add-on Module and Accessories

Model	List Price \$	Description	Carton Qty.
PILOT-FC-010	650.00	10-station output module for PILOT-FC field controller. Includes Safety Toggle™ switches.	1
PILOT-DH-250-EXP	1245.00	250-station expansion module and power supply.	1
PILOT-HWR	500.00	Hardwire communication module used to connect a standalone PILOT-FC field controller to a wired PILOT central control system.	1
PILOT-MOD-UHF	2,300.00	UHF radio communication module used to connect a standalone PILOT-FC field controller to a UHF radio-based PILOT central control system. Includes radio. License specifying frequency is required at time of order.	1
PILOT-MOD-LF	2,800.00	915 MHz radio communication module used to connect a standalone PILOT-FC field controller to a 915 MHz radio-based PILOT central control system. Radio is included. Check local radio regulations before ordering.	1
PILOT-FP-FC	1380.00	Replacement facepack for PILOT-FC field controller.	1
PILOT-FP-DH	1500.00	Replacement facepack for PILOT-DH decoder hub.	1




Pilot™-FC Stand Alone Field Controllers with Plastic Pedestal Enclosure

Model	List Price \$	Description	Carton Qty.
PILOT-FC30-S	6,000.00	30-station plastic pedestal standalone field controller. Dual (120/230 VAC) voltage. Expandable to 80 stations with PILOT-FC-010 10-station output modules.	1
PILOT-FC40-S	6,700.00	40-station plastic pedestal standalone field controller. Dual (120/230 VAC) voltage. Expandable to 80 stations with PILOT-FC-010 10-station output modules.	1
PILOT-FC50-S	7,500.00	50-station plastic pedestal standalone field controller. Dual (120/230 VAC) voltage. Expandable to 80 stations with PILOT-FC-010 10-station output modules.	1
PILOT-FC60-S	8,300.00	60-station plastic pedestal standalone field controller. Dual (120/230 VAC) voltage. Expandable to 80 stations with PILOT-FC-010 10-station output modules.	1
PILOT-FC70-S	8,900.00	70-station plastic pedestal standalone field controller. Dual (120/230 VAC) voltage. Expandable to 80 stations with a PILOT-FC-010 10-station output module.	1
PILOT-FC80-S	9,500.00	80-station plastic pedestal standalone field controller. Dual (120/230 VAC) voltage.	1



Pilot-FC Hardwire Field Controllers with Plastic Pedestal Enclosure

Model	List Price \$	Description	Carton Qty.
PILOT-FC30-HWR	6,500.00	30-station plastic pedestal hardwire field controller. Dual (120/230 VAC) voltage. Includes hardwire communication module. Expandable to 80 stations with PILOT-FC-010 10-station output modules.	1
PILOT-FC40-HWR	7,200.00	40-station plastic pedestal hardwire field controller. Dual (120/230 VAC) voltage. Includes hardwire communication module. Expandable to 80 stations with PILOT-FC-010 10-station output modules.	1
PILOT-FC50-HWR	8,000.00	50-station plastic pedestal hardwire field controller. Dual (120/230 VAC) voltage. Includes hardwire communication module. Expandable to 80 stations with PILOT-FC-010 10-station output modules.	1
PILOT-FC60-HWR	8,800.00	60-station plastic pedestal hardwire field controller. Dual (120/230 VAC) voltage. Includes hardwire communication module. Expandable to 80 stations with PILOT-FC-010 10-station output modules.	1
PILOT-FC70-HWR	9,400.00	70-station plastic pedestal hardwire field controller. Dual (120/230 VAC) voltage. Includes hardwire communication module. Expandable to 80 stations with a PILOT-FC-010 10-station output module.	1
PILOT-FC80-HWR	10,000.00	80-station plastic pedestal hardwire field controller. Dual (120/230 VAC) voltage. Includes hardwire communication module.	1




Pilot™-FC UHF Radio Field Controllers with Plastic Pedestal Enclosure

Model	List Price \$	Description	Carton Qty.
PILOT-FC30-UHF	8,200.00	30-station plastic pedestal UHF radio field controller. Dual (120/230 VAC) voltage. Includes UHF radio communication module. Expandable to 80 stations with PILOT-FC-010 10-station output modules. A license specifying frequency is required at time of order.	1
PILOT-FC40-UHF	9,500.00	40-station plastic pedestal UHF radio field controller. Dual (120/230 VAC) voltage. Includes UHF radio communication module. Expandable to 80 stations with PILOT-FC-010 10-station output modules. A license specifying frequency is required at time of order.	1
PILOT-FC50-UHF	9,700.00	50-station plastic pedestal UHF radio field controller. Dual (120/230 VAC) voltage. Includes UHF radio communication module. Expandable to 80 stations with PILOT-FC-010 10-station output modules. A license specifying frequency is required at time of order.	1
PILOT-FC60-UHF	10,500.00	60-station plastic pedestal UHF radio field controller. Dual (120/230 VAC) voltage. Includes UHF radio communication module. Expandable to 80 stations with PILOT-FC-010 10-station output modules. A license specifying frequency is required at time of order.	1
PILOT-FC70-UHF	11,100.00	70-station plastic pedestal UHF radio field controller. Dual (120/230 VAC) voltage. Includes UHF radio communication module. Expandable to 80 stations with a PILOT-FC-010 10-station output module. A license specifying frequency is required at time of order.	1
PILOT-FC80-UHF	11,700.00	80-station plastic pedestal UHF radio field controller. Dual (120/230 VAC) voltage. Includes UHF radio communication module. A license specifying frequency is required at time of order.	1



Pilot™-FC License-Free 915 MHz Radio Field Controllers with Plastic Pedestal Enclosure

Model	List Price \$	Description	Carton Qty.
PILOT-FC30-LF	8,800.00	30-station plastic pedestal license-free 915 MHz radio field controller. Dual (120/230 VAC) voltage. Includes 915 MHz radio communication module. Expandable to 80 stations with PILOT-FC-010 10-station output modules. Check local radio regulations before ordering.	1
PILOT-FC40-LF	9,500.00	40-station plastic pedestal license-free 915 MHz radio field controller. Dual (120/230 VAC) voltage. Includes 915 MHz radio communication module. Expandable to 80 stations with PILOT-FC-010 10-station output modules. Check local radio regulations before ordering.	1
PILOT-FC50-LF	10,300.00	50-station plastic pedestal license-free 915 MHz radio field controller. Dual (120/230 VAC) voltage. Includes 915 MHz radio communication module. Expandable to 80 stations with PILOT-FC-010 10-station output modules. Check local radio regulations before ordering.	1
PILOT-FC60-LF	11,100.00	60-station plastic pedestal license-free 915 MHz radio field controller. Dual (120/230 VAC) voltage. Includes 915 MHz radio communication module. Expandable to 80 stations with PILOT-FC-010 10-station output modules. Check local radio regulations before ordering.	1
PILOT-FC70-LF	11,700.00	70-station plastic pedestal license-free 915 MHz radio field controller. Dual (120/230 VAC) voltage. Includes 915 MHz radio communication module. Expandable to 80 stations with a PILOT-FC-010 10-station output module. Check local radio regulations before ordering.	1
PILOT-FC80-LF	12,300.00	80-station plastic pedestal license-free 915 MHz radio field controller. Dual (120/230 VAC) voltage. Includes 915 MHz radio communication module. Check local radio regulations before ordering.	1



Pilot-DH Standalone Decoder Hub with Plastic Pedestal Enclosure

Model	List Price \$	Description	Carton Qty.
PILOT-DH250-S	6,000.00	250-station standalone decoder hub. Dual (120/230 VAC) voltage. Expandable to 999 stations with PILOT-DH-250 decoder output modules.	1
PILOT-DH500-S	7,200.00	500-station standalone decoder hub. Dual (120/230 VAC) voltage. Expandable to 999 stations with PILOT-DH-250 decoder output modules.	1
PILOT-DH750-S	8,400.00	750-station standalone decoder hub. Dual (120/230 VAC) voltage. Expandable to 999 stations with a PILOT-DH-250 decoder output module.	1
PILOT-DH999-S	9,600.00	999-station standalone decoder hub. Dual (120/230 VAC) voltage.	1



Pilot™-DH Hardwire Decoder Hub with Plastic Pedestal Enclosure

Model	List Price \$	Description	Carton Qty.
PILOT-DH250-HWR	6,500.00	250-station hardwire decoder hub. Dual (120/230 VAC) voltage. Expandable to 999 stations with PILOT-DH-250 decoder output modules.	1
PILOT-DH500-HWR	7,700.00	500-station hardwire decoder hub. Dual (120/230 VAC) voltage. Expandable to 999 stations with PILOT-DH-250 decoder output modules.	1
PILOT-DH750-HWR	8,900.00	750-station hardwire decoder hub. Dual (120/230 VAC) voltage. Expandable to 999 stations with a PILOT-DH-250 decoder output module.	1
PILOT-DH999-HWR	10,100.00	999-station hardwire decoder hub. Dual (120/230 VAC) voltage.	1




Pilot™-DH UHF Radio Decoder Hub with Plastic Pedestal Enclosure

Model	List Price \$	Description	Carton Qty.
PILOT-DH250-UHF	8,200.00	250-station UHF radio decoder hub. Dual (120/230 VAC) voltage. Expandable to 999 stations with PILOT-DH-250 decoder output modules. License specifying frequency required at time of order.	1
PILOT-DH500-UHF	9,400.00	500-station UHF radio decoder hub. Dual (120/230 VAC) voltage. Expandable to 999 stations with PILOT-DH-250 decoder output modules. License specifying frequency required at time of order.	1
PILOT-DH750-UHF	10,600.00	750-station UHF radio decoder hub. Dual (120/230 VAC) voltage. Expandable to 999 stations with a PILOT-DH-250 decoder output module. License specifying frequency required at time of order.	1
PILOT-DH999-UHF	11,800.00	999-station UHF radio decoder hub. Dual (120/230 VAC) voltage. License specifying frequency required at time of order.	1



Pilot™-DH License-Free 915 MHz Radio Decoder Hub with Plastic Pedestal Enclosure

Model	List Price \$	Description	Carton Qty.
PILOT-DH250-LF	8,800.00	250-station license-free 915 MHz decoder hub. Dual (120/230 VAC) voltage. Expandable to 999 stations with PILOT-DH-250 decoder output modules. Check local radio regulations before ordering.	1
PILOT-DH500-LF	10,000.00	500-station license-free 915 MHz decoder hub. Dual (120/230 VAC) voltage. Expandable to 999 stations with PILOT-DH-250 decoder output modules. Check local radio regulations before ordering.	1
PILOT-DH750-LF	11,200.00	750-station license-free 915 MHz decoder hub. Dual (120/230 VAC) voltage. Expandable to 999 stations with a PILOT-DH-250 decoder output module. Check local radio regulations before ordering.	1
PILOT-DH999-LF	12,400.00	999-station license-free 915 MHz decoder hub. Dual (120/230 VAC) voltage. Check local radio regulations before ordering.	1



Pilot Decoders

Model	List Price \$	Description	Carton Qty.
PILOT-100	180.00	1-station decoder for use with PILOT-DH decoder hub.	1
PILOT-200	275.00	2-station decoder for use with PILOT-DH decoder hub.	1
PILOT-400	425.00	4-station decoder for use with PILOT-DH decoder hub.	1
PILOT-600	440.00	6-station decoder for use with PILOT-DH decoder hub.	1
PILOT-SG	130.00	Inline surge arrestor. (Required in DIH rotor installations.)	1
353600	198.00	1-station decoder/solenoid assembly for use in DIH rotor with PILOT-DH decoder hub (replacement part).	1
686500	298.00	2-station decoder/solenoid assembly for use in DIH rotor with PILOT-DH decoder hub (replacement part).	1



Pilot Decoder Accessories

Model	List Price \$	Description	Carton Qty.
ICD-HP	1,190.00	Handheld decoder programmer and tester for Pilot decoders.	1



Pilot Field Controller Accessories

Model	List Price \$	Description	Carton Qty.
TRNR	2,885.00	Two-way handheld UHF radio for remote control. Includes charger and antenna. License specifying frequency required at time of order.	1

Pilot™ Radio Accessories

Model	List Price \$	Description	Carton Qty.
RA5M	1,205.00	Omni-directional mast antenna for UHF radio systems. 5 dB gain. Includes mounting hardware. Does not include cable.	1
RG850NFNF	504.00	RG8 cable for use with UHF mast antenna (RA5M). 50 ft. (15 m). Includes connectors for central interface.	1
RA3F	252.00	Yagi directional antenna for UHF radio systems. 6 dB gain. Includes mounting hardware. Does not include cable.	1
RA6F	565.00	Yagi directional antenna for UHF radio systems. 10 dB gain. Includes mounting hardware. Does not include cable.	1
RG850NFUM	504.00	RG8 cable for UHF radio for use with Yagi antennas (RA6F and RA3F). 50 ft (15 m). Includes connectors.	1
RASREM	493.00	Omni-directional stealth antenna for UHF radio systems. Includes L-mount bracket and 15 ft. (4.5 m) cable. Used to enhance radio reception for Pilot UHF systems.	1
IMMSANT2	490.00	Omni-directional antenna for UHF radio systems. Fits inside Pilot plastic pedestal lid.	1
PILOT-ANT1	1,200.00	Omni-directional mast antenna for license-free 915 MHz radio systems	1
PILOT-ANT2	1,200.00	Omni-directional mast antenna for license-free 2.4 GHz radio systems	1

Pilot Communication Control Cable

Model	List Price \$	Description	Carton Qty.
GCBL	Call	#18-4 (4 x 0.82 mm ²) shielded communication cable. 4,000 ft. (1,200 m) reels.	-
GCBLA	Call	#18-4 (4 x 0.82 mm ²) shielded & armored communication cable. 4,000 ft. (1,200 m) reels.	-

Pilot Decoder Cable

Model	List Price \$	Description	Carton Qty.
See page 23 for decoder cables.			

Field Controller Accessories for Pilot and VSX Systems

Model	List Price \$	Description	Carton Qty.
TRNR	2,885.00	Two-way handheld UHF radio for remote control. Includes charger and antenna. License specifying frequency required at time of order.	1

Communication Control Cable for Pilot, VSX and AGC Systems

Model	List Price \$	Description	Carton Qty.
GCBL	Call	#18-4 (4x82 mm ²) shielded communication cable. 4,000 ft.(1,200 m) reels.	
GCBLA	Call	#18-4 (4x82 mm ²) shielded armored communication cable. 4,000 ft (1,200 m) reels.	

Decoder Cables 2500' Spools

Model	Priced Per Ft.	Description: Standard Decoder Cable	Carton Qty.
ID1GRY	Call	Jacketed decoder cable, grey, 14/2 (2 mm ²)	1
ID1PUR	Call	Jacketed decoder cable, purple, 14/2 (2 mm ²)	1
ID1YLW	Call	Jacketed decoder cable, yellow, 14/2 (2 mm ²)	1
ID1ORG	Call	Jacketed decoder cable, orange, 14/2 (2 mm ²)	1
ID1BLU	Call	Jacketed decoder cable, blue, 14/2 (2 mm ²)	1
ID1TAN	Call	Jacketed decoder cable, tan, 14/2 (2 mm ²)	1
Long Range, Heavy Duty Decoder Cable			
ID2GRY	Call	Jacketed decoder cable, grey, 12/2 (3 mm ²)	1
ID2PUR	Call	Jacketed decoder cable, purple, 12/2 (3 mm ²)	1
ID2YLW	Call	Jacketed decoder cable, yellow, 12/2 (3 mm ²)	1
ID2ORG	Call	Jacketed decoder cable, orange, 12/2 (3 mm ²)	1
ID2BLU	Call	Jacketed decoder cable, blue, 12/2 (3 mm ²)	1
ID2TAN	Call	Jacketed decoder cable, tan, 12/2 (3 mm ²)	1

Decoder Cables 1000' Spools

Model	Priced Per Ft.	Description: Standard Decoder Cable	Carton Qty.
ID1GRYFT	Call	Jacketed decoder cable, grey, 14/2 (2 mm ²)	1
ID1PURFT	Call	Jacketed decoder cable, purple, 14/2 (2 mm ²)	1
ID1YLWFT	Call	Jacketed decoder cable, yellow, 14/2 (2 mm ²)	1
ID1ORGFT	Call	Jacketed decoder cable, orange, 14/2 (2 mm ²)	1
ID1BLUFT	Call	Jacketed decoder cable, blue, 14/2 (2 mm ²)	1
ID1TANFT	Call	Jacketed decoder cable, tan, 14/2 (2 mm ²)	1
Long Range, Heavy Duty Decoder Cable			
ID2GRYFT	Call	Jacketed decoder cable, grey, 12/2 (3 mm ²)	1
ID2PURFT	Call	Jacketed decoder cable, purple, 12/2 (3 mm ²)	1
ID2YLWFT	Call	Jacketed decoder cable, yellow, 12/2 (3 mm ²)	1
ID2ORGFT	Call	Jacketed decoder cable, orange, 12/2 (3 mm ²)	1
ID2BLUFT	Call	Jacketed decoder cable, blue, 12/2 (3 mm ²)	1
ID2TANFT	Call	Jacketed decoder cable, tan, 12/2 (3 mm ²)	1

Weather Stations			
Model	List Price \$	Description	Carton Qty.
TWHW	8,800.00	TurfWeather station with AC power adaptor, software and wired (GCBL cable) communications use with GCBL cable.	1
TW24	8,800.00	TurfWeather station with AC power adaptor, software and 2.4 GHz license-free radio communications for most countries.	1
TW916	8,800.00	TurfWeather station with AC power adaptor, software and 900 MHz license-free radio communications recommended for North America.	1
TW922A	8,800.00	TurfWeather station with AC power adaptor, software and 2.4 GHz license-free radio communications (Australia, new Zealand, Israel).	1
TWSUN	590.00	TurfWeather solar power kit for weather station.	1

AGC Decoders and Accessories

Model	List Price \$	Description	Carton Qty.
D-100	123.00	Single-station decoder with integrated surge suppression and ground wire	6
D-200	217.00	2-station decoder with integrated surge suppression and ground wire	6
D-400	250.00	4-station decoder with integrated surge suppression and ground wire	4
D-600	415.00	6-station decoder with integrated surge suppression and ground wire	1
DSG	79.00	Surge supressor for decoder system	1
ICD-HP	1,190.00	Handheld decoder programmer for ICD decoders	1

Decoder Cables

See page 32 for Decoder Cables.

Demonstration Gear-Driven Rotors

Clear Demonstration Rotors <i>For demonstration purposes only, do not use under water pressure</i>			
Model	List Price \$*	Description	Carton Qty.
MP-CS	10.00	Clear MP Rotator	1
PGJ-04-CS	18.00	Clear PGJ-04 Pop-up Sprinkler	1
PGP-04-CS	20.00	Clear PGP®-04 Ultra Sprinkler	1
PGP-ADJ-CS	19.00	Clear PGP Pop-up Sprinkler	1
I-20-04-CS	25.00	Clear I-20-04 Pop-up Sprinkler	1
I-25-04-CS	55.00	Clear I-25-04 Pop-up Sprinkler	1
I-40-04-CS	105.00	Clear I-40 Pop-up Sprinkler	1
PROS-04-CV-CS	7.00	Clear 10 cm (4") Pro-Spray Sprinkler	1
PROS-04-PRS30-CV-CS	20.00	Clear 10 cm (4") Pro-Spray PRS30 Brown Cap Sprinkler	1
PROS-06-PRS30-CV-CS	25.00	Clear 15 cm (6") Pro-Spray PRS30 Brown Cap Sprinkler	1
PROS-12-PRS30-CV-CS	35.00	Clear 30 cm (12") Pro-Spray PRS30 Brown Cap Sprinkler	1

Catalogs and Price Lists

Item Number	Net Price Per Pack \$	Description	Language	Qty. Per Pack
INT-910	5.00	International Product Catalog	English/Metric	1
INT-911	5.00	International Product Catalog	Spanish	1
INT-912	Web Only	International Product Catalog	French	1
INT-913	Web Only	International Product Catalog	Italian	1
INT-914	5.00	International Product Catalog	Portuguese	1
INT-915	Web Only	International Product Catalog	German	1
INT-930	Web Only	International Product Catalog	Arabic	N/A
INT-931	Web Only	International Product Catalog	Greek	N/A
INT-932	Web Only	International Product Catalog	Russian	N/A
INT-933	Web Only	International Product Catalog	Turkish	N/A
INT-934	Web Only	International Product Catalog	Chinese	N/A
INT-935	Web Only	International Product Catalog	Polish	N/A
INT-623	N/C	International Suggested Price List	English/Metric	1
GLIT-454	5.00	Golf Catalog	English/Imperial	1

Technical Information

International Controller Owner's Manuals

Item Number	Net Price Per Pack \$	Description	Language	Qty. Per Pack
INT-505	Web Only	WVP Owner's Manual	French	1
INT-506	Web Only	WVP Owner's Manual	Spanish	1
INT-507	Web Only	WVP Owner's Manual	Italian	1
INT-508	Web Only	WVP Owner's Manual	Portuguese	1
INT-509	Web Only	WVP Owner's Manual	German	1
LIT-355	Web Only	WVC Owner's Manual	English/Metric	1
INT-510	Web Only	WVC Owner's Manual	French	1
INT-511	Web Only	WVC Owner's Manual	Spanish	1
INT-512	Web Only	WVC Owner's Manual	Italian	1
INT-513	Web Only	WVC Owner's Manual	Portuguese	1
INT-514	Web Only	WVC Owner's Manual	German	1
INT-794	Web Only	PCC Controller Owner's Manual	English/Metric	1
INT-795	Web Only	PCC Controller Owner's Manual	French	1
INT-796	Web Only	PCC Controller Owner's Manual	German	1
INT-797	Web Only	PCC Controller Owner's Manual	Italian	1
INT-798	Web Only	PCC Controller Owner's Manual	Portuguese	1
INT-799	Web Only	PCC Controller Owner's Manual	Spanish	1
INT-945	Web Only	Node Controllers Owner's Manual	French	1
INT-944	Web Only	Node Controllers Owner's Manual	German	1
INT-942	Web Only	Node Controllers Owner's Manual	Italian	1
INT-943	Web Only	Node Controllers Owner's Manual	Portuguese	1
INT-941	Web Only	Node Controllers Owner's Manual	Spanish	1
INT-960	Web Only	Node Controllers Owner's Manual	Turkish	1
INT-575	Web Only	Eco-Logic Owner's Manual	English/Metric	1

International Controller Owner's Manuals (continued)				
Item Number	Net Price Per Pack \$	Description	Language	Qty. Per Pack
INT-717	Web Only	ROAM Owner's Manual	French	1
INT-718	Web Only	ROAM Owner's Manual	German	1
INT-719	Web Only	ROAM Owner's Manual	Spanish	1
INT-785	Web Only	ROAM Owner's Manual	Italian	1
INT-786	Web Only	ROAM Owner's Manual	Portuguese	1
INT-787	Web Only	ROAM Owner's Manual	English/Metric	1
LIT-467	Web Only	XC Hybrid Owner's Manual	English	1
INT-759	Web Only	XC Hybrid Owner's Manual	French	1
INT-762	Web Only	XC Hybrid Owner's Manual	Spanish	1
INT-761	Web Only	XC Hybrid Owner's Manual	Italian	1
INT-760	Web Only	XC Hybrid Owner's Manual	German	1
INT-716	Web Only	XC Hybrid Owner's Manual	Portuguese	1
LIT-389	Web Only	ACC Owner's Manual	English	1
INT-585	Web Only	ACC Owner's Manual	French	1
INT-586	Web Only	ACC Owner's Manual	Spanish	1
INT-587	Web Only	ACC Owner's Manual	Italian	1
INT-588	Web Only	ACC Owner's Manual	Portuguese	1
INT-589	Web Only	ACC Owner's Manual	German	1
INT-784	Web Only	X-Core® Owner's Manual	English/Metric	1
INT-780	Web Only	X-Core Owner's Manual	French	1
INT-781	Web Only	X-Core Owner's Manual	German	1
INT-782	Web Only	X-Core Owner's Manual	Italian	1
INT-783	Web Only	X-Core Owner's Manual	Spanish	1
INT-981	Web Only	X-Core Owner's Manual	Arabic	1
LIT-502	Web Only	I-Core® Owner's Manual	English	1
INT-804	Web Only	I-Core Owner's Manual	French	1
INT-805	Web Only	I-Core Owner's Manual	Spanish	1
INT-806	Web Only	I-Core Owner's Manual	Italian	1
INT-807	Web Only	I-Core Owner's Manual	German	1
INT-808	Web Only	I-Core Owner's Manual	Portuguese	1
LIT-512	Web Only	ICD-HP Owner's Manual	English	1
INT-853	Web Only	ICD-HP Owner's Manual	French	1
INT-857	Web Only	ICD-HP Owner's Manual	Spanish	1
INT-854	Web Only	ICD-HP Owner's Manual	German	1
INT-855	Web Only	ICD-HP Owner's Manual	Italian	1
INT-856	Web Only	ICD-HP Owner's Manual	Portuguese	1
LIT-526	9.00	Decoder Design Guide	English	1
LIT-501	N/C	Warranty Date Code Brochure	English	1

International Sensor Owner’s Manuals

Item Number	Net Price Per Pack	Description	Language	Qty. Per Pack
LIT-399	Web Only	ET Owner's Manual	English/Metric	1
INT-573	Web Only	ET Owner's Manual	French	1
INT-574	Web Only	ET Owner's Manual	Spanish	1
INT-576	Web Only	ET Owner's Manual	Italian	1
LIT-450	Web Only	Solar Sync Owner's Manual	English	1
INT-789	Web Only	Solar Sync Owner's Manual	French	1
INT-790	Web Only	Solar Sync Owner's Manual	Italian	1
INT-791	Web Only	Solar Sync Owner's Manual	Portuguese	1
INT-792	Web Only	Solar Sync Owner's Manual	Spanish	1
INT-793	Web Only	Solar Sync Owner's Manual	German	1
LIT-366	Web Only	Flow-Clik Owner’s Manual	English/Metric	1
INT-528	Web Only	Flow-Clik Owner’s Manual	French	1

International Controller Customization Kits

Item Number	Net Price Per Pack \$	Description	Language	Qty. Per Pack
PCKITES-SPANISH	1.50	Pro-C® Customization Kit	Spanish	2
PCKITFR-FRENCH	1.50	Pro-C Customization Kit	French	1
PCKITIT-ITALIAN	1.50	Pro-C Customization Kit	Italian	1
PCKITDE-GERMAN	1.50	Pro-C Customization Kit	German	1
PCKITPT-PORTUGUESE	1.50	Pro-C Customization Kit	Portuguese	1
PCKITJA-JAPANESE	1.50	Pro-C Customization Kit	Japanese	1
PCKITRU-RUSSIAN	1.50	Pro-C Customization Kit	Russian	1
PCCKITEM	6.25	PCC Customization Kit	English	1
PCCKITES	6.25	PCC Customization Kit	Spanish	1
PCCKITFR	6.25	PCC Customization Kit	French	1
PCCKITIT	6.25	PCC Customization Kit	Italian	1
PCCKITDE	6.25	PCC Customization Kit	German	1
PCCKITTK	6.25	PCC Customization Kit	Turkish	1
PCCKITPT	6.25	PCC Customization Kit	Portuguese	1
PCCKITRU	6.25	PCC Customization Kit	Russian	1
INT-894	9.00	I-Core® Customization Kit	French	1
INT-895	9.00	I-Core Customization Kit	Spanish	1
INT-896	9.00	I-Core Customization Kit	Italian	1
INT-897	9.00	I-Core Customization Kit	Portuguese	1
INT-898	9.00	I-Core Customization Kit	German	1

Hunter Contractor Tools

Model	List Price* \$	Description	Carton Qty.
CPRO-017	35.00	Nozzle Organizer Box	1
CPRO-020	22.00	Tool Bag	1
CPRO-021	15.00	Bucket Buddy	1

Hunter Contractor Tools (continued)

Model	List Price* \$	Description	Carton Qty.
CPRO-023	2.00	Hunter Screwdriver	1
CPRO-027	12.00	4GB Hunter FX Flash Drive	1
PRO-101WC	85.00	Water Conservation Products Presentation Bag	1
PRO-172	195.00	Hunter Contractor Site Kit	1
PRO-177	21.00	Irri-Tool with Hunter Holster	1
PRO-183	14.50	Gloves	1
PRO-190	475.00	Water Audit Kit	1

Notes: *10% discount now offered against List Price on selected contractor tools.

Point-of-Purchase Materials and Promotional Tools

Item Number	Net Price Per Pack \$	Description	Qty. Per Pack
LIT-136S	0.30	Hunter Decals - Small 12 cm x 5 cm	1
LIT-136M	0.50	Hunter Decals - Medium 23 cm x 8 cm	1
PRO-011	90.00	Hunter Parts Bags	1000pcs
PRO-024.M	1.00	Irrigation Drawing Template	1
PRO-026.M	0.75	Hunter 15 cm Scale	1
PRO-123	38.00	Hunter Banner 244 cm x 87 cm	1
PRO-124	115.00	Hunter Counter Stool Set	2
PRO-124C	20.00	Hunter Counter Stool Seat Cover	1
PRO-124S	40.00	Hunter Counter Stool Seat Tops	1
PRO-125D	10.00	Hunter Truck Marking Decals	2
PRO-125M	17.00	Hunter Truck Marking Magnetics	2
PRO-143	175.00	Hunter Table Throws 2.5 m	1
PRO-147	25.00	Hunter Vinyl Banner 142 cm x 56 cm	1
PRO-157	50.00	Hunter Lanyards	50
PRO-158	75.00	Hunter Floor Mat 90 cm x 120 cm	1
PRO-163	425.00	Modular Product Display with Current Graphics	1
PRO-163G	75.00	Graphics Update Kit for Modular Product Display	1
PRO-166	25.00	Hunter Aluminum Clock	1
PRO-196	19.50	Floor Graphic	1
PRO-199	9.00	Hunter Shelf Strips in 30.5 cm Sections	25
PRO-203	34.00	Hunter Point-of-Purchase Sign	1
PRO-202	110.00	Hunter Drip Emitter Display	1
PRO-973	30.00	Product Instruction Guide	30

Counter Mats

Model	List Price \$	Description	Language	Carton Qty.
INT-631	15.00	MP Rotator Counter Mat	English/Metric	1
LIT-332	15.00	Pro Adjustable Nozzles Counter Mat	English/Metric	1
INT-631ES	15.00	MP Rotator Counter Mat	Spanish	1
INT-631FR	15.00	MP Rotator Counter Mat	French	1
INT-631IT	15.00	MP Rotator Counter Mat	Italian	1
INT-631TR	15.00	MP Rotator Counter Mat	Turkish	1
INT-1011	15.00	Conservation Counter Mat	Spanish	1
INT-1012	15.00	Conservation Counter Mat	French	1
INT-1013	15.00	Conservation Counter Mat	Italian	1

Posters

Item Number	Net Price Per Pack \$	Description	Language	Qty. Per Pack
LIT-521	8.00	Innovations in Irrigation Poster	English	1
LIT-547	8.00	Innovations in Golf Poster	English	1
PRO-204	5.50	PGV Valve Poster	English	1
PRO-205	5.50	G885 Golf Rotor Poster	English	1

Valve Cutaways

Cutaway Demonstration Valves

For demonstration purposes only, do not use under water pressure

Model	List Price \$	Description	Carton Qty.
PGV151CA	200.00	40 mm (1.5") PGV cutaway	1

Golf Literature and Sales Support

Model	Net Price Per Pack	Description	Pack Qty.
GLIT047	PDF Only	RT Retro Riser product sheet	50
GLIT054	PDF Only	Surveyor with VSX Brochure	25
GINT004	PDF Only	Control System Design Guide (Spanish)	1
GINT006	PDF Only	RT Series Brochure (Spanish)	25
GINT007	PDF Only	RT Series Brochure (French)	25
GINT030	PDF Only	TTS Brochure (Portuguese)	25
GINT029	PDF Only	TTS Brochure (Italian)	25
GINT031	PDF Only	TTS Brochure (German)	25

Contact Customer Service for more information on ordering Hunter literature and sales support materials. All literature is priced at a net price. No further discounts apply.

Golf Demonstration Products and Literature

Clear Demonstration Golf Rotors for demonstration purposes only, do not use under water pressure

Model	List Price \$	Description	Carton Qty.
G75B-CS	145.00	Clear G75B Block rotor	1
G85B-CS	195.00	Clear G85B Block rotor	1
G885C-CS	315.00	Clear G885 Check-O-Matic rotor	1
G885D-CS	520.00	Clear G885 Single-Station DIH rotor	1
G885DD-CS	570.00	Clear G885 Two-Station DIH rotor	1
G885E-CS	345.00	Clear G885 Electric VIH rotor	1
G995C-CS	330.00	Clear G995 Check-O-Matic rotor	1
G995D-CS	545.00	Clear G995 Single-Station DIH rotor	1
G995DD-CS	595.00	Clear G995 Two-Station DIH rotor	1
G995E-CS	365.00	Clear G995 Electric VIH rotor	1

APPROXIMATE FREIGHT WEIGHTS AND VOLUMES

Category	Item	Box Qty.	Box Weight (kg)	Box Volume (m ³)	Boxes per *Ocean Pallet	Product Qty. *Ocean Pallet	Volume (m ³) per *Ocean Pallet	Boxes per *Air Pallet	Product Qty. *Air Pallet	Weight (kg) per *Air Pallet
Rotors	SRM-04	25	3.7	0.0131	132	3300	1.7241	63	1575	233.2
Rotors	PGJ-00	25	2.1	0.0089	240	6000	2.1293	140	3500	295.3
Rotors	PGJ-04	25	4.0	0.0138	120	3000	1.6502	84	2100	339.2
Rotors	PGJ-06	25	5.0	0.0187	84	2100	1.5733	60	1500	299.4
Rotors	PGJ-12	12	4.6	0.0167	120	1440	2.0100	70	840	324.3
Rotors	PGP-00	20	3.3	0.0162	135	2700	2.1895	90	1800	296.0
Rotors	PGP-04	20	6.1	0.0223	90	1800	2.0072	54	1080	328.2
Rotors	PGP-12	12	8.5	0.0278	80	960	2.2236	48	576	406.9
Rotors	PGP-ADJ	20	6.0	0.0223	90	1800	2.0072	54	1080	326.0
Rotors	I-20-00	20	3.7	0.0162	135	2700	2.1895	90	1800	330.7
Rotors	I-20-04	20	7.0	0.0223	90	1800	2.0072	54	1080	378.4
Rotors	I-20-04-SS	20	7.8	0.0223	90	1800	2.0072	54	1080	419.1
Rotors	I-20-06	20	8.5	0.0304	63	1260	1.9146	45	900	381.7
Rotors	I-20-06-SS	20	9.8	0.0304	63	1260	1.9146	45	900	439.9
Rotors	I-20-12	12	8.7	0.0278	80	960	2.2236	48	576	418.0
Rotors	I-25-04	12	5.2	0.0162	135	1620	2.1895	90	1080	469.0
Rotors	I-25-04-SS	12	5.8	0.0162	135	1620	2.1895	90	1080	518.4
Rotors	I-25-06	12	6.2	0.0203	105	1260	2.1341	75	900	464.0
Rotors	I-25-06-SS	12	7.0	0.0203	105	1260	2.1341	75	900	525.6
Rotors	I-40-04-SS	12	5.8	0.0162	135	1620	2.1895	90	1080	524.8
Rotors	I-40-06-SS	12	7.1	0.0203	120	1440	2.4390	75	900	535.8
Rotors	I-90	6	10.0	0.0329	56	336	1.8422	32	192	320.1
MP Rotator	MP Rotator	200	2.6	0.0096	208	38400	1.8457	144	32000	413.7
MP Rotator	Eco Rotator	50	4.4	0.0143	180	9000	2.5780	108	5400	470.7
Spray	PSU-02	100	5.7	0.0203	117	11700	2.3770	81	8100	458.9
Spray	PSU-04	100	7.7	0.0266	90	9000	2.3959	54	5400	418.1
Spray	PSU-06	100	10.3	0.0356	63	6300	2.2398	45	4500	461.9
Spray	PROS-00 / PROS-00-PRS30, 40	250	1.6	0.0096	208	48000	1.8457	144	40000	254.0
Spray	PROS-02, -03, -04 / PROS-04-PRS30, 40	50	5.7	0.0212	96	4800	2.0382	64	3200	363.7
Spray	PROS-06 / PROS-06-PRS30, 40	25	4.1	0.0174	128	3200	2.2258	80	2000	325.7
Spray	PROS-12 / PROS-12-PRS30, 40	25	7.2	0.0250	64	1600	1.6031	40	1000	287.2
Nozzles	Spray Nozzles	250	2.0	0.0096	208	52000	1.9995	144	36000	282.5
Valves	PGV-100-JT	20	9.0	0.0338	48	960	1.6202	32	640	286.5
Valves	PGV-100-A	20	8.3	0.0256	96	1920	2.4529	72	1440	595.8
Valves	PGV-100G, MB, MM	20	8.6	0.0266	72	1320	1.7558	42	840	361.5
Valves	PGV-151	8	7.0	0.0253	72	576	1.8235	48	384	338.3
Valves	PGV-201	8	10.1	0.0394	48	384	1.8890	30	240	302.5
Valves	ICV-151G, 201G	8	11.3	0.0426	40	320	1.7031	32	256	362.2
Valves	IBV-151G, -151G-FS, -201G-FS	2	7.7	0.0117	90	180	1.0498	90	180	689.3
Valves	IBV-301G	1	11.2	0.0119	60	60	0.7110	60	60	669.1

Note: For more information please visit the website at www.hunterindustries.com/main/international-shipping

APPROXIMATE FREIGHT WEIGHTS AND VOLUMES

Category	Item	Box Qty.	Box Weight (kg)	Box Volume (m ³)	Boxes per *Ocean Pallet	Product Qty. *Ocean Pallet	Volume (m ³) per *Ocean Pallet	Boxes per *Air Pallet	Product Qty. *Air Pallet	Weight (kg) per *Air Pallet
Controller	X-CORE indoor	10	15.9	0.0464	48	480	2.2252	24	240	380.5
Controller	X-CORE outdoor	10	20.4	0.0569	40	400	2.2766	24	240	490.4
Controller	PCC Indoor	8	19.7	0.0751	30	240	2.2515	18	144	355.2
Controller	PCC Outdoor	8	22.1	0.0715	32	256	2.2883	16	128	353.4
Controller	I-CORE M	6	6.6	0.0333	1008	6048	33.6041	720	4320	4735.5
Controller	I-CORE P	4	20.8	0.0907	24	96	2.1766	12	48	249.0
Controller	I-CORE PP	1	34.7	0.3238	6	6	1.9431	6	6	208.4
Controller	DUAL -1, -2, -S	20	6.8	0.0166	108	2160	1.7961	60	1200	410.4
Controller	DUAL48M	12	5.9	0.0252	72	864	1.8156	40	480	236.8
Controller	ICD100, 200	40	11.0	0.0338	56	2240	1.8912	40	1600	441.8
Controller	ICD400, 600	20	9.8	0.0278	72	1440	1.9983	48	960	471.4
Controller	ACC-1200	1	14.5	0.0330	60	60	1.9818	36	36	523.7
Controller	ACC PP	1	34.7	0.3238	6	6	1.9431	6	6	208.4
Controller	ICD-HP	5	12.6	0.0749	28	140	2.0967	16	80	201.1
Controller	ROAM-KIT	10	5.0	0.0272	117	1170	3.1852	76	760	382.7
Controller	ROAM-R	20	4.9	0.0325	90	1800	2.9283	58	1160	285.4
Controller	ROAM-TR	20	6.1	0.0325	90	1800	2.9283	58	1160	356.5
Controller	ROAM XL-KIT	10	22.9	0.1495	12	120	1.7937	8	80	183.4
Controller	ROAM XL-R	20	8.1	0.0344	64	1280	2.1989	40	800	323.9
Controller	ROAM XL-TR	20	10.8	0.0418	54	1080	2.2582	30	600	323.9
Controller	NODE	10	7.9	0.0400	48	480	1.9191	32	320	251.8
Controller	NODE VALVE	10	11.6	0.0489	48	480	2.3448	32	320	370.9
Controller	NODE SOLAR PANEL	10	9.2	0.0634	30	300	1.9017	18	180	165.3
Controller	WVC100E, 200E, 400E	10	4.9	0.0280	80	800	2.2367	56	560	275.6
Controller	XC Hybrid	10	11.5	0.0579	40	400	2.3155	24	240	277.1
Controller	Eco Logic	8	8.4	0.0400	60	480	2.3982	16	128	134.6
Central Control System	IMMS-CCC	10	15.8	0.0353	36	360	1.2702	20	200	315.1
Sensor	MINI-CLIK	24	6.5	0.0010	81	1944	0.0770	54	1296	351.9
Sensor	RAIN-CLIK	24	6.7	0.0401	42	1008	1.6824	28	672	188.3
Sensor	WIRELESS RAIN CLIK	20	4.5	0.0339	56	1120	1.9009	32	640	145.1
Sensor	WIRELESS RAIN FREEZE CLIK	12	6.3	0.0351	56	672	1.9672	32	384	200.3
Sensor	FLOW-CLIK	8	2.9	0.0173	90	720	1.5574	63	504	180.3

Note: For more information please visit the website at www.hunterindustries.com/main/international-shipping

APPROXIMATE FREIGHT WEIGHTS AND VOLUMES/WARRANTY

Category	Item	Box Qty.	Box Weight (kg)	Box Volume (m ³)	Boxes per *Ocean Pallet	Product Qty. *Ocean Pallet	Volume (m ³) per *Ocean Pallet	Boxes per *Air Pallet	Product Qty. *Air Pallet	Weight (kg) per *Air Pallet
Sensor	SOLAR SYNC	12	8.5	0.0411	48	576	1.9722	30	360	255.1
Sensor	WIRELESS SOLAR SYNC	20	5.9	0.0357	56	1120	1.9966	40	800	235.9
Sensor	PSR	10	13.4	0.0543	32	320	1.7384	20	200	267.6
Sensor	ET SENSOR	2	6.5	0.0452	42	84	1.8977	20	40	130.2
Sensor	ET WIND	2	3.2	0.0595	28	56	1.6666	20	40	63.0
Micro	RZWS-10	20	2.2	0.0326	72	1440	2.3455	45	900	101.2
Micro	RZWS-18	12	3.1	0.0582	32	384	1.8637	16	192	49.3
Micro	RZWS-36	6	2.7	0.0565	30	180	1.6943	18	108	48.9
Micro	PLD-100	1	1.7	0.0296	75	75	2.2184	50	50	86.2
Micro	PLD-250	1	4.2	0.0520	48	48	2.4966	48	48	200.1
Micro	PLD-1K	1	16.6	0.1539	8	8	1.2313	6	6	99.5
Micro	SJ-06	150	8.2	0.0582	32	4800	1.8624	32	4800	261.9
Micro	SJ-12	100	7.5	0.0582	40	4000	2.3280	24	2400	179.4
Golf	G870, 875, 880	4	5.7	0.0403	54	216	2.1772	36	144	203.4
Golf	G990, 995	4	9.6	0.0417	44	176	1.8339	36	144	347.4

* International Ocean Freight pallet dimensions maximum 89" x 42" x 42". Quantities may vary.

10 Ocean size pallets per 20 ft container

22 Ocean size pallets per 40 ft container

** International Air Freight pallet dimensions maximum 60" x 42" x 42". Quantities may vary.

Note: For more information please visit the website at www.hunterindustries.com/main/international-shipping

STATEMENT OF WARRANTY Hunter Residential & Commercial Irrigation

Hunter Industries Incorporated ("Hunter") warrants the following products to be free of defects in materials or workmanship under normal use in landscape irrigation applications for the specified period of time outlined below from the original date of manufacture:

ONE YEAR

ROTORS SRM **MICRO** Micro Sprays

TWO YEARS

ROTORS	PGP®-ADJ, PGJ	SENSORS	ET System
SPRAYS	PS Ultra Family	MICRO	ACZ, PCZ, RZWS, Point Source Emitters
NOZZLES	Spray Nozzles, PCN, PCB, AFB	ACCESSORIES	HCV, SJ, FLEXsg, HSBE Family
VALVES	PGV Family, SRV, PSR		
CONTROLLERS	X-Core® and Pro-C® Families, ROAM, NODE, WVP, WVC, PSR, Wi-Fi Kit		

THREE YEARS

CONTROLLERS ROAM XL

MP ROTATOR® All

FIVE YEARS

ROTORS	PGP Ultra, I-20, I-25, I-35, I-40, I-60, and I-90 Families	CENTRAL	IMMS® Central Control Products
SPRAYS	Pro-Spray®, Pro-Spray PRS30, and Pro-Spray PRS40 Families	SENSORS	Clik Sensors, Solar-Sync®, Flow-Sync®
VALVES	HQ, ICV, IBV	MICRO	ICZ and PLD Tubing, Eco-Mat®
CONTROLLERS	I-Core®/DUAL® and ACC controller families, ICD Decoder Products, ICR Remotes		

If used for agricultural applications, Hunter limits the warranty for its spray, rotator and rotor products to a period of one (1) year from original date of manufacture. This agriculture limitation supersedes all other warranties expressed or implied. **Hunter warrants the battery life of the Wireless Rain-Clik® and Wireless Solar Sync® sensors for 10 years.** If a defect in a Hunter product is discovered during the applicable warranty period, Hunter will repair or replace, at its option,

the product or the defective part. This warranty does not extend to repairs, adjustments, or replacement of a Hunter product or part that results from misuse, negligence, alteration, modification, tampering, or improper installation and/or maintenance of the product. This warranty extends only to the original installer of the Hunter product. If a defect arises in a Hunter product during the warranty period, contact your local Hunter Authorized Distributor.

STATEMENT OF WARRANTY Hunter Golf and ST System Irrigation

Hunter will unconditionally repair, replace or repurchase, at its sole discretion, any defective Golf or ST Product Components listed below by category, returned freight prepaid, within a period of:

GOLF ROTOR PRODUCTS

- A. Three (3) years component* warranty from the date of manufacture
- B. Five (5) years component* warranty from the date of manufacture with one-for-one matching purchase of HSJ Swing Joints from authorized Hunter Golf distributor.

HSJ SWING JOINT, ST ROTOR, AND ST ACCESSORY PRODUCTS

- C. Five (5) years component* warranty from the date of manufacture

GOLF CONTROLLER PRODUCTS

- D. One (1) year component* warranty from the date of manufacture

GOLF DECODER PRODUCTS

- E. Three (3) years component warranty from the date of manufacture

COMPUTERS, PRINTERS & ACCESSORIES

- F. Equipment manufacturer's warranty (no Hunter warranty)

MAINTENANCE RADIO & BATTERY

- G. Equipment manufacturer's warranty (no Hunter warranty)

Hunter's warranty applies only to products installed as specified and used as intended for irrigation purposes. Hunter's warranty shall be limited to defects in materials and workmanship during the warranty period, and shall not extend to situations in which the product was subjected to improper design, installation, operation, maintenance, application, abuse, improper electrical current, grounding, service other than by Hunter authorized agents, operating conditions other than that for which it was designed, or in systems using water containing corrosive chemicals, electrolytes, sand, dirt, silt, rust or agents that otherwise attack and degrade plastics. Hunter's warranty does not cover component failures caused by lightning strikes, electrical power surges or unconditioned power supplies. If products are repurchased, the price to Distributor for such products in effect at the time of return will apply.

Hunter's obligation to repair, replace or repurchase its products or product components as set forth above is the sole and exclusive warranty extended by hunter. There are no other warranties, expressed or implied, including warranties of merchantability and warranties of fitness for a particular purpose. Hunter will not be liable to a distributor or to any other party in strict liability, tort, contract or any other manner for any damages caused or claimed to be caused as a result of any design of or defect in Hunter's products, or for any special, incidental or consequential damages of any nature.

* Warranty covers repair, replacement or repurchase of individual defective component assemblies contained within the product. Returns of complete finished goods are not allowed under warranty without prior approval from the Hunter Product Manager.

** Where applicable, Hunter's statement of warranty complies with local directives.

If you have any questions concerning the warranty or its application, please email HunterTechnicalSupport@hunterindustries.com.

ASAE CERTIFICATION STATEMENT

Hunter Industries Incorporated certifies that pressure, flow rate, and radius data for these products were determined and listed in accordance with ASAE Standard S398.1, Procedure for Sprinkler Testing and Performance Reporting, and are representative of performance of production sprinklers at the time of publication. Actual product performance may differ from the published specifications due to normal manufacturing variations and sample selection. All other specifications are solely the recommendation of Hunter Industries Incorporated.



Helping our customers succeed is what drives us. While our passion for innovation and engineering is built into everything we do, it is our commitment to exceptional support that we hope will keep you in the Hunter family of customers for years to come.

Gregory R. Hunter, President of Hunter Industries

Website www.hunterindustries.com | **Customer Support** +1 760-744-5240 | **Technical Service** +1 760-591-7383

USA

1940 Diamond Street
San Marcos, California 92078, USA
TEL: +1 760-744-5240
hunterindustries.com

MEXICO

ISO 9001:2008 Certified
Calle Nordika #8615
Parque Industrial Nordika
Tijuana, B.C., Mexico CP 22709
52 64-903-1300

Europe

Avda. Diagonal 523, 5º- 2º
Edificio Atalaya
08029 Barcelona, Spain
TEL: 34 9-34-94-88-81

Australia

Suite 7, 202 Ferntree Gully Road
Notting Hill, Melbourne
Victoria 3168, Australia
TEL. +61 8-8363-3599
FAX. +61 8-8363-3687

Middle East

P.O. Box 2370
Amman, 11941, Jordan
TEL: 962 6-5152882
FAX: 962 6-5152992

China

B1618, Huibin Office Bldg.
No.8, Beichen Dong Street
Beijing 100101, China
TEL/FAX: 86 10-84975146